

STONE LOOK

Mystone Pietra Ligure



MARAZZI

Mystone Pietra Ligure

The meeting of Ligurian slate character and a design sensibility gives shape to Mystone Pietra Ligure. Available in Bianco, Beige, Cenere and Antracite, in 60x60, 60x120, 75x75, 120x120 and 75x150 sizes. 3D Ink technology and the Tecnico finish enhance material richness, precision and continuity between indoor and outdoor spaces. The collection is also suitable for outdoors and is available in 20 mm for coordinated, durable and refined exterior projects today.



MPV6 Terramater Carbone Lux 9x37cm
MPK1 Mystone Pietra Ligure Antracite R10 Rt 60x120cm



MPKF Mystone Pietra Ligure Bianco Rt 75x150cm
MPK5 Mystone Pietra Ligure Bianco Strutturato Rt 60x120cm



MPKF Mystone Pietra Ligure Bianco Rt 75x150cm



MPK5 Mystone Pietra Ligure Bianco Strutturato Rt 60x120cm
MPJY Mystone Pietra Ligure Beige R10 Rt 60x120cm





MPLD Mystone Pietra Ligure20 Beige Rt 60x120cm
MPJM Mystone Pietra Ligure Beige R10 Rt 120x120cm



MPLD Mystone Pietra Ligure20 Beige Rt 60x120cm
MPJM Mystone Pietra Ligure Beige R10 Rt 120x120cm



MPPF Mystone Pietra Ligure Bianco Listello Preinciso Rt 13x120cm
MPKF Mystone Pietra Ligure Bianco Rt 75x150cm



MPJW Mystone Pietra Ligure Bianco Rt 60x120cm



MPML Grande Stone Look Travertino Navona Naturale 3D Ink Rt 120x278cm
MPK1 Mystone Pietra Ligure Antracite R10 Rt 60x120cm





MPJT Mystone Pietra Ligure Cenere Strutturato Rt 120x120cm
MPJG Mystone Pietra Ligure Cenere Rt 120x120cm






Mystone Pietra Ligure Index

MPV6 Terramater Carbone Lux 9x37cm
MPJX Mystone Pietra Ligure Antracite Rt 60x120cm


Mystone Pietra Ligure

- Colorbody Fine Porcelain Stoneware




Antracite

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJH	Mystone Pietra Ligure Antracite Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	MPJP	Mystone Pietra Ligure Antracite R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJS	Mystone Pietra Ligure Antracite Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJX	Mystone Pietra Ligure Antracite Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	30,09	36	51,84	1.083,16
60x120cm	Natural	MPK1	Mystone Pietra Ligure Antracite R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	2	1,44	29,92	36	51,84	1.077,08
60x120cm	Structured Surface	MPK2	Mystone Pietra Ligure Antracite Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V3	2	1,44	29,46	36	51,84	1.060,56
60x60cm	Natural	MPK9	Mystone Pietra Ligure Antracite Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	22,16	40	43,20	886,34
60x60cm	Natural	MPKE	Mystone Pietra Ligure Antracite R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	3	1,08	22,32	40	43,20	892,75
75x150cm	Natural	MPKH	Mystone Pietra Ligure Antracite Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	46,28	21	47,25	971,82
75x75cm	Natural	MPKK	Mystone Pietra Ligure Antracite Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	21,23	42	47,25	891,85




Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJJ	Mystone Pietra Ligure Beige Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	MPJM	Mystone Pietra Ligure Beige R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJQ	Mystone Pietra Ligure Beige Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJU	600x1200 Mystone Pietra Ligure Beige Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	29,50	36	51,84	1.062,08
60x120cm	Natural	MPJY	Mystone Pietra Ligure Beige R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	2	1,44	29,57	36	51,84	1.064,48
60x120cm	Structured Surface	MPK3	Mystone Pietra Ligure Beige Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V3	2	1,44	30,14	36	51,84	1.084,97
60x60cm	Natural	MPK8	Mystone Pietra Ligure Beige Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	21,60	40	43,20	864,00
60x60cm	Natural	MPKA	Mystone Pietra Ligure Beige R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	3	1,08	22,33	40	43,20	893,30
75x150cm	Natural	MPKG	Mystone Pietra Ligure Beige Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	46,94	21	47,25	985,81
75x75cm	Natural	MPKM	Mystone Pietra Ligure Beige Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	23,00	42	47,25	965,86



Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJK	Mystone Pietra Ligure Bianco Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	30,22	36	51,84	1.087,93
120x120cm	Natural	MPJN	Mystone Pietra Ligure Bianco R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96 P3		>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJR	Mystone Pietra Ligure Bianco Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJW	Mystone Pietra Ligure Bianco Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	29,50	36	51,84	1.061,86
60x120cm	Natural	MPKO	Mystone Pietra Ligure Bianco R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96 P3		>= 0.42	H	V3	2	1,44	29,55	36	51,84	1.063,82
60x120cm	Structured Surface	MPK5	Mystone Pietra Ligure Bianco Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96 P4		>= 0.42	H	V3	2	1,44	29,72	36	51,84	1.069,97
60x60cm	Natural	MPK7	Mystone Pietra Ligure Bianco Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	21,86	40	43,20	874,49
60x60cm	Natural	MPKD	Mystone Pietra Ligure Bianco R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96 P3		>= 0.42	H	V3	3	1,08	22,04	40	43,20	881,45
75x150cm	Natural	MPKF	Mystone Pietra Ligure Bianco Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	45,64	21	47,25	958,42
75x75cm	Natural	MPKN	Mystone Pietra Ligure Bianco Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	23,00	42	47,25	965,86



Cenere

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJG	Mystone Pietra Ligure Cenere Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	MPJL	Mystone Pietra Ligure Cenere R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96 P3		>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJT	Mystone Pietra Ligure Cenere Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJV	Mystone Pietra Ligure Cenere Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	29,81	36	51,84	1.073,07
60x120cm	Natural	MPJZ	Mystone Pietra Ligure Cenere R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96 P3		>= 0.42	H	V3	2	1,44	29,80	36	51,84	1.072,85
60x120cm	Structured Surface	MPK4	Mystone Pietra Ligure Cenere Strutturato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96 P4		>= 0.42	H	V3	2	1,44	29,63	36	51,84	1.066,67
60x60cm	Natural	MPK6	Mystone Pietra Ligure Cenere Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	22,02	40	43,20	880,73
60x60cm	Natural	MPKC	Mystone Pietra Ligure Cenere R10 Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96 P3		>= 0.42	H	V3	3	1,08	22,37	40	43,20	894,78
75x150cm	Natural	MPKJ	Mystone Pietra Ligure Cenere Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	42,67	21	47,25	896,07
75x75cm	Natural	MPKL	Mystone Pietra Ligure Cenere Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	23,00	42	47,25	965,86

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



EPD Italy



HPD



CE 009MRZI



ISO 50001



ISO 17889-1



CAM Sassuolo



UKCA 001MRZUK



ISO 45001



Greenguard Certification



CAM Casiglie



UKCA 009MRZUK



ISO 9001



LEED Credits



CCC



SASO



Green Building Council



FDES



CAM Fiorano



GPP



Declare



CE 001MRZI

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI