

STONE LOOK

Room



MARAZZI



Room

The balance of stone takes shape in essential, contemporary surfaces designed for spaces with a measured and current taste. Room comes in 45x45, 100x100, 60x60, 30x60 and 60x120 formats, in Bianco, Grigio, Beige, Antracite and Taupe. The variety of tones and sizes makes the range versatile, balanced and suited to coordinated compositions throughout. Also suitable for outdoor spaces, it accompanies residential and commercial settings with natural continuity.




MP70 Room Grigio Rt 60x120cm
MP6C Room Wall 3D Match Grigio Rt 30x90cm
MP68 Room Wall Grigio Rt 30x90cm



MP6Y Room Taupe Rt 60x120cm
MP66 Room Wall Taupe Rt 30x90cm



MP6K Room Bianco Rt 100x100cm
M96P Rice Natural Lux 5x15cm
M962 Rice Natural Lux 15x15cm



MP88 Room Antracite Rt 100x100cm



MP6J Room Grigio Rt 100x100cm
MP67 Room Wall Bianco Rt 30x90cm



MP6D Room Wall 3D Match Bianco Rt 30x90cm
MM19 Grande Stone Look Silver Root Grey Satin 3D Ink Rt 6Mm 160x320cm

MP6L Room Bianco Strutturato Rt 100x100cm
MP6K Room Bianco Rt 100x100cm





Room Index

MP78 Room Grigio Rt 60x60cm
MP6C Room Wall 3D Match Grigio Rt 30x90cm

Room

- Colorbody Fine Porcelain Stoneware · Porcelain Stoneware




Antracite

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
100x100cm	Natural	MP88	Room Antracite Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	2,00	37,15	24	48,00	891,53
100x100cm	Structured Surface	MP89	Room Antracite Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	2,00	39,45	24	48,00	946,75
60x120cm	Structured Surface	MP8D	Room Antracite Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	1,44	28,65	36	51,84	1.031,44
60x60cm	Natural	MP8E	Room Antracite Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		3	1,08	19,90	40	43,20	795,87
60x60cm	Structured Surface	MP8F	Room Antracite Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		3	1,08	19,83	40	43,20	793,10
30x60cm	Structured Surface	MP8A	Room Antracite Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		6	1,08	21,26	48	51,84	1.020,27
60x120cm	Natural	MP8C	Room Antracite Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	1,44	29,09	36	51,84	1.047,06
30x60cm	Natural	MP8S	Room Antracite Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		6	1,08	20,95	48	51,84	1.005,63
45x45cm	Natural	MP8G	Room Antracite	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40				>= 0.42	H		6	1,22	24,50	34	41,31	833,03




Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
100x100cm	Natural	MP6G	Room Beige Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	2,00	35,69	24	48,00	856,53
100x100cm	Structured Surface	MP6M	Room Beige Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	2,00	34,55	24	48,00	829,16
30x60cm	Structured Surface	MP6X	Room Beige Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		6	1,08	21,69	48	51,84	1.041,17
60x120cm	Natural	MP6Z	Room Beige Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	1,44	26,79	36	51,84	964,47
60x120cm	Structured Surface	MP73	Room Beige Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	1,44	26,78	36	51,84	964,11
60x60cm	Natural	MP76	Room Beige Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		3	1,08	21,85	40	43,20	874,14
60x60cm	Structured Surface	MP7C	Room Beige Strutturato Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		3	1,08	19,88	40	43,20	795,14
30x60cm	Natural	MP6Q	Room Beige Rt	MM 8,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		6	1,08	21,70	48	51,84	1.041,59
45x45cm	Natural	MP8L	Room Beige	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40				>= 0.42	H		6	1,22	20,62	34	41,31	701,00




Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
100x100cm	Natural	MP6K	Room Bianco Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	2,00	37,00	24	48,00	887,90
100x100cm	Structured Surface	MP6L	Room Bianco Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	2,00	37,21	24	48,00	893,02
30x60cm	Structured Surface	MP6U	Room Bianco Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		6	1,08	20,94	48	51,84	1.005,04
60x120cm	Natural	MP71	Room Bianco Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	1,44	27,35	36	51,84	984,62
60x120cm	Structured Surface	MP74	Room Bianco Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	1,44	26,54	36	51,84	955,40
60x60cm	Natural	MP79	Room Bianco Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		3	1,08	20,15	40	43,20	805,97
60x60cm	Structured Surface	MP7A	Room Bianco Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		3	1,08	20,22	40	43,20	808,69
30x60cm	Natural	MP6R	Room Bianco Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		6	1,08	21,75	48	51,84	1.043,90
45x45cm	Natural	MP8J	Room Bianco	MM 08	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40				>= 0.42	H		6	1,22	20,91	34	41,31	711,02



Grigio

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
100x100cm	Natural	MP6J	Room Grigio Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	2,00	36,70	24	48,00	880,90
100x100cm	Structured Surface	MP6N	Room Grigio Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	2,00	39,27	24	48,00	942,47
30x60cm	Structured Surface	MP6V	Room Grigio Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		6	1,08	21,27	48	51,84	1.021,08
60x120cm	Natural	MP70	Room Grigio Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	1,44	27,99	36	51,84	1.007,58
60x120cm	Structured Surface	MP72	Room Grigio Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	1,44	27,92	36	51,84	1.005,04
60x60cm	Natural	MP78	Room Grigio Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		3	1,08	19,96	40	43,20	798,52
60x60cm	Structured Surface	MP7E	Room Grigio Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		3	1,08	20,25	40	43,20	809,90
30x60cm	Natural	MP6S	Room Grigio Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		6	1,08	21,25	48	51,84	1.019,87
45x45cm	Natural	MP8H	Room Grigio	MM 08	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40				>= 0.42	H		6	1,22	24,50	34	41,31	833,03



Taupe

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
100x100cm	Natural	MP6H	Room Taupe Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	2,00	37,13	24	48,00	891,03
100x100cm	Structured Surface	MP6P	Room Taupe Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	2,00	39,62	24	48,00	950,87
30x60cm	Structured Surface	MP6W	Room Taupe Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		6	1,08	21,20	48	51,84	1.017,47
60x120cm	Natural	MP6Y	Room Taupe Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		2	1,44	27,27	36	51,84	981,82
60x120cm	Structured Surface	MP75	Room Taupe Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		2	1,44	26,60	36	51,84	957,52
60x60cm	Natural	MP77	Room Taupe Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		3	1,08	21,73	40	43,20	869,04
60x60cm	Structured Surface	MP7D	Room Taupe Strutturato Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H		3	1,08	19,99	40	43,20	799,70
30x60cm	Natural	MP6T	Room Taupe Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H		6	1,08	21,59	48	51,84	1.036,18
45x45cm	Natural	MP8K	Room Taupe	MM 08	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40				>= 0.42	H		6	1,22	24,50	34	41,31	833,03

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



EPD Italy



FDES



CE 001MRZI



ISO 50001



EPD Spain



Declare



CE 009MRZI



ISO 45001



ISO 17889-1



HPD



UKCA 001MRZUK



ISO 9001



Greenguard Certification



CAM Sassuolo



UKCA 009MRZUK



Green Building Council



LEED Credits



CAM Fiorano



SASO



GPP



QBUPEC



CCC

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI