

STORIE

Contrasti
Collection

RAGNO 



R7GZ Contrasti Antracite Decoro Mix 20x20cm - R7HU Contrasti Antracite 20x20cm

Contrasti

Where decorative memory meets a contemporary sign, Contrasti reinterprets the handmade look through porcelain stoneware surfaces with a bold graphic character. The collection includes six plain colours in Bianco, Grigio, Beige, Ottanio, Antracite and Celadon, all in the 20x20 size. The Mix decor and the Tappeto decor in its 13 variants expand the range, while StepWise technology improves grip and supports floors and wall coverings with strong graphic impact.



R7HS Contrasti Tappeto 13 20x20cm



R7H4 Contrasti Ottanio Decoro Mix 20x20cm



R7GQ Contrasti Bianco 20x20cm



R7G5 Contrasti Grigio 20x20cm - R7GY Contrasti Grigio Decoro Mix 20x20cm



R7HJ Contrasti Tappeto 7 20x20cm



R7HS Contrasti Tappeto 13 20x20cm



R7GQ Contrasti Bianco 20x20cm - R7HU Contrasti Antracite 20x20cm



R7HL Contrasti Tappeto 8 20x20cm



R7HN Contrasti Tappeto 9 20x20cm




R7GW Contrasti Ottanio 20x20cm - R7HQ Contrasti Tappeto 11 20x20cm



R7GQ Contrasti Bianco 20x20cm - R7GS Contrasti Grigio 20x20cm - R7HE Contrasti Tappeto 3 20x20cm

Porcelain Stoneware




Antracite

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x20cm	Natural	R7HU	Contrasti Antracite	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,32	54	51,84	1.097,38



Beige

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x20cm	Natural	R7GT	Contrasti Beige	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,34	54	51,84	1.098,54




Bianco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x20cm	Natural	R7GQ	Contrasti Bianco	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	StepWise	24	0,96	20,40	54	51,84	1.101,81

CONTRASTI COLLECTION

CONTRASTI COLLECTION

Porcelain Stoneware



Celadon

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x20cm	Natural	R7GV	Contrasti Celadon	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,68	54	51,84	1.116,52



Grigio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
20x20cm	Natural	R7GS	Contrasti Grigio	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise		24	0,96	19,04	54	51,84	1.027,96



Ottanio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
20x20cm	Natural	R7GW	Contrasti Ottanio	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise		24	0,96	20,32	54	51,84	1.097,14

CONTRASTI COLLECTION

CONTRASTI COLLECTION

Porcelain Stoneware



Decoro Mix

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x20cm	Natural	R7GY	Contrasti Grigio Decoro Mix	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,34	54	51,84	1.098,30
20x20cm	Natural	R7GZ	Contrasti Antracite Decoro Mix	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	18,90	54	51,84	1.020,47
20x20cm	Natural	R7H4	Contrasti Ottanio Decoro Mix	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,17	54	51,84	1.089,08



Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x20cm	Natural	R7HC	Contrasti Tappeto 1	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	StepWise	24	0,96	19,35	54	51,84	1.045,16
20x20cm	Natural	R7HD	Contrasti Tappeto 2	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	StepWise	24	0,96	17,91	54	51,84	967,16
20x20cm	Natural	R7HE	Contrasti Tappeto 3	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,00	54	51,84	1.080,00
20x20cm	Natural	R7HF	Contrasti Tappeto 4	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,17	54	51,84	1.089,08
20x20cm	Natural	R7HG	Contrasti Tappeto 5	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	StepWise	24	0,96	20,17	54	51,84	1.089,08
20x20cm	Natural	R7HH	Contrasti Tappeto 6	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	19,83	54	51,84	1.071,07
20x20cm	Natural	R7HJ	Contrasti Tappeto 7	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	StepWise	24	0,96	18,05	54	51,84	974,44
20x20cm	Natural	R7HL	Contrasti Tappeto 8	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	18,18	54	51,84	981,82
20x20cm	Natural	R7HN	Contrasti Tappeto 9	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,34	54	51,84	1.098,30
20x20cm	Natural	R7HP	Contrasti Tappeto 10	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	20,69	54	51,84	1.117,24
20x20cm	Natural	R7HQ	Contrasti Tappeto 11	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	19,05	54	51,84	1.028,57
20x20cm	Natural	R7HR	Contrasti Tappeto 12	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	StepWise	24	0,96	19,20	54	51,84	1.036,80
20x20cm	Natural	R7HS	Contrasti Tappeto 13	MM 10		 	 	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	StepWise	24	0,96	19,35	54	51,84	1.045,16

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D	G
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	H
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.	

Color variations

V0	V3
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	V4
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run	

Certifications

							
ISO 14001	ISO 45001	ISO 9001	Green Building Council	EPD Italy	Greenguard	LEED Credits	FDES
							
Declare	HPD	CCC	CE 001MRZI	UKCA 00 1MRZUK	SASO		

© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

RAGNO 