SMART FLOOR

Grove Collection

RAGNO

Grove

Inspired by the chromatic richness of natural wood species, Grove is a porcelain stoneware collection with a realistic wood effect. The range develops through 13 different shades in 20x120 and 14.5x90 sizes. The surfaces convey the visual warmth of wood with a balanced and continuous material look. Ideal for different laying patterns, it brings compositional freedom and a sense of natural, welcoming intimacy to interior settings and everyday life at home too.

Albero

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	RA4V	Grove Albero Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	H			4	0,96	17,69	40	38,40	707,70

Arbusto

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4M	Grove Arbusto Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

Bosco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4R	Grove Bosco Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

GROVE COLLECTION

Corteccia

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4P	Grove Corteccia Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

Essenza

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	RA4T	Grove Essenza Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			4	0,96	17,37	40	38,40	694,90

Faber

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4K	Grove Faber Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

GROVE COLLECTION

Porcelain Stoneware

Foresta

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4H	Grove Foresta Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

Fusto

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	RA4X	Grove Fusto Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	H			4	0,96	17,32	40	38,40	692,77

Legno

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	RA4W	Grove Legno Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	H			4	0,96	17,19	40	38,40	687,68

GROVE COLLECTION

Linfa

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4N	Grove Linfa Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

Natura

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4L	Grove Natura Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

Ombra

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	RA4Y	Grove Ombra Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	H			4	0,96	16,94	40	38,40	677,61

GROVE COLLECTION

Pineta

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	RA4Q	Grove Pineta Rt	MM 08	•			R9	> 0.40	Class 1			>= 0.42	H			8	1,04	20,00	48	50,11	960,00

Radice

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	RA4U	Grove Radice Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			4	0,96	17,50	40	38,40	699,96

GROVE COLLECTION

Technical Characteristics

Frost proof

Resistance deep abrasion

Destinazioni d'uso

D

Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E

Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F

Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G

Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H

Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

V0

Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1

Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2

Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3

Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4

Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications

ISO 9001

EPD Spain

Greenguard

LEED Credits

Declare

HPD

CCC

CE 001MRZI

CE 009MRZI

UKCA 001MRZUK

UKCA 009MRZUK

SASO

© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026