

WOOD EFFECT

Inedito
Collection

RAGNO 



RC5G Inedito Nocciola Chevron 11x54cm

Inedito

Designed for contemporary spaces with natural warmth, Inedito is a wood-effect porcelain stoneware collection for interiors and exteriors. The range includes Avorio, Cenere, Nocciola and Cannella in 20x120, 25x150 and Chevron 11x54 sizes, suited to different laying solutions. Sublime Sync and 3D Ink technologies enhance visual continuity and surface depth. Ideal for renovation and new-build settings, it adds personality and contemporary measure to spaces.



RADN Inedito Nocciola Rt 25x150cm



RA8Z Papers Branch Touch Rt 60x180cm - RADL Inedito Avorio Rt 25x150cm



RA9E Papers Bloom Touch Rt 60x180cm - RADL Inedito Avorio Rt 25x150cm



RADP Inedito Cannella Rt 25x150cm - RALY Clayton Decoro Sphere Touch Rt 33x100cm



RADN Inedito Nocciola Rt 25x150cm



RADZ Inedito Cenere Rt 20x120cm



RADR Inedito Cenere Rt 25x150cm - RAPZ Clayton Nude Rt 100x100cm



RAE1 Inedito Avorio Grip Rt 20x120cm



Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	RADL	Inedito Avorio Rt	MM 9,5	•			R9	> 0.40	Class 1				G	V3	3D Ink	3	1,13	23,60	45	50,63	1.062,21
20x120cm	Natural	RADT	Inedito Avorio Rt	MM 9,5	•			R9	> 0.40	Class 1				G	V3	3D Ink	4	0,96	19,37	40	38,40	774,66
20x120cm	Grip	RAE1	Inedito Avorio Grip Rt	MM 9,5	•			R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	3D Ink	4	0,96	19,40	40	38,40	776,07
11x54cm	Natural	RC5F	Inedito Avorio Chevron	MM 09				R9	> 0.40	Class 1				G	V3	Sublime Sync	18	0,94	17,17	45	42,44	772,83



Cannella

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	RADP	Inedito Cannella Rt	MM 9,5	•			R9	> 0.40	Class 1				G	V3	3D Ink	3	1,13	23,01	45	50,63	1.035,28
20x120cm	Natural	RADX	Inedito Cannella Rt	MM 9,5	•			R9	> 0.40	Class 1				G	V3	3D Ink	4	0,96	19,66	40	38,40	786,56
20x120cm	Grip	RAE4	Inedito Cannella Grip Rt	MM 9,5	•			R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	3D Ink	4	0,96	19,40	40	38,40	776,07
11x54cm	Natural	RC5H	Inedito Cannella Chevron	MM 09				R9	> 0.40	Class 1				G	V3	Sublime Sync	18	0,94	17,49	45	42,44	787,02



Cenere

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	RADR	Inedito Cenere Rt	MM 9,5	•	 	 	R9	> 0.40	Class 1				G	V3	3D Ink	3	1,13	22,81	45	50,63	1.026,67
20x120cm	Natural	RADZ	Inedito Cenere Rt	MM 9,5	•	 	 	R9	> 0.40	Class 1				G	V3	3D Ink	4	0,96	20,44	40	38,40	817,54
20x120cm	Grip	RAE5	Inedito Cenere Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	3D Ink	4	0,96	19,41	40	38,40	776,23
11x54cm	Natural	RC5J	Inedito Cenere Chevron	MM 09		 	 	R9	> 0.40	Class 1				G	V3	Sublime Sync	18	0,94	17,42	45	42,44	783,97



Nocciola

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	RADN	Inedito Nocciola Rt	MM 9,5	•	 	 	R9	> 0.40	Class 1				G	V3	3D Ink	3	1,13	23,55	45	50,63	1.059,77
20x120cm	Natural	RADW	Inedito Nocciola Rt	MM 9,5	•	 	 	R9	> 0.40	Class 1				G	V3	3D Ink	4	0,96	19,26	40	38,40	770,31
20x120cm	Grip	RAE3	Inedito Nocciola Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	3D Ink	4	0,96	19,20	40	38,40	768,00
11x54cm	Natural	RC5G	Inedito Nocciola Chevron	MM 09		 	 	R9	> 0.40	Class 1				G	V3	Sublime Sync	18	0,94	17,61	45	42,44	792,61

Technical Characteristics	
 Frost proof	
 Resistance deep abrasion	
Destinazioni d'uso	
D	G
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	H
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.	
Color variations	
V0	V3
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	V4
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run	

Certifications								
								
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	
								
Recycled Material	Greenguard	LEED Credits	QBUPEC D+	FDES	Declare	HPD	CCC	
								
CE 001MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 9MRZUK	SASO				



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

RAGNO 