

SMART FLOOR

Key
Collection





RA3P Key Taupe Natural 15x60cm

Key

Rustic accents and classic shades define Key, a wood-effect porcelain stoneware collection with a lived-in character. The range includes White, Beige, Grey, Taupe, Natural and Dark in the 15.5x60.5 size. The surface interprets wood with a marked yet balanced material presence. Ideal for modern interiors and Nordic-style settings, it brings warmth, naturalness and a more authentic image to spaces, with a sober, welcoming and contemporary tone throughout, too.




RA3N Key Dark Natural 15x60cm



RA3M Key Beige Natural 15x60cm

Porcelain Stoneware




Beige

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Grip	RA3U	Key Beige Grip	MM 09		 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G			10	0,94	18,56	48	45,01	890,84
15,5x60,5cm	Natural	RA3M	Key Beige Natural	MM 7,5		 	 	R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35



Dark

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3N	Key Dark Natural	MM 7,5		 	 	R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35



Grey

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3Q	Key Grey Natural	MM 7,5		 	 	R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35

Porcelain Stoneware




Natural

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3L	Key Natural Natural	MM 7,5		 	 	R9	> 0.40	Class 1				H			12	1,13	22,80	48	54,02	1.094,35
15,5x60,5cm	Grip	RA3T	Key Natural Grip	MM 7,5		 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G			12	1,13	22,80	48	54,02	1.094,35



Taupe

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3P	Key Taupe Natural	MM 7,5		 	 	R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35



White

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3K	Key White Natural	MM 7,5		 	 	R9	> 0.40	Class 1				H			12	1,13	22,80	48	54,02	1.094,35

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D	G
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	H
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.	

Color variations

V0	V3
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	V4
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run	

Certifications



LEED
Credits



Red List
Free
Declare.



HPD
Health Product
Declarations



CE
001MRZI



UK
CA
UKCA 00
1MRZUK



SASO
QUALITY MARK

© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

