

WOOD EFFECT

Ossimori
Collection

RAGNO 



R8FN Look Nero Glossy 6x24cm - R9ST Ossimori Marrone Chevron 11x54cm

Ossimori

Deep veining and natural tones define Ossimori, a wood-effect porcelain stoneware collection with a warm and continuous character. The collection includes the colours Avorio, Beige, Marrone and Miele, in 20x120, 25x150 and 11x54 sizes. The surfaces interpret wood through different finishes and offer continuity between indoor and outdoor spaces. StepWise, Sublime Sync and Zero Glossy technologies enhance materiality and light control in coordinated settings.



R8T0 Incanto Emperador Glossy Rettificato 120x278cm - R9RP Ossimori Beige Extra Matt Rt 25x150cm



R9TJ Ossimori Miele Extra Matt Rt 20x120cm



R9RN Ossimori Avorio Extra Matt Rt 25x150cm



R9RJ Ossimori Beige Rt 25x150cm - RC5L Mixed Decoro Fiore Di Pesco Verde Touch Rt 40x120cm



R9RK Ossimori Miele Rt 25x150cm



R9TA Ossimori Avorio Rt 20x120cm



R9RR Ossimori Marrone Extra Matt Rt 25x150cm



R9SR Ossimori Beige Chevron 11x54cm



R9TC Ossimori Beige Rt 20x120cm - R9TH Ossimori Beige Extra Matt Rt 20x120cm



R9RJ Ossimori Beige Rt 25x150cm



R8VR Stratford Beige Strutturato Rt 60x120cm - R9TA Ossimori Avorio Rt 20x120cm - R9VS Ossimori Avorio Grip Rt 20x120cm



R9VV Ossimori Marrone Grip Rt 20x120cm



R9VT Ossimori Beige Grip Rt 20x120cm



R9RH Ossimori Avorio Rt 25x150cm



R9RJ Ossimori Beige Rt 25x150cm





Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	R9RH	Ossimori Avorio Rt	MM 9,5	•	 	 	R9	> 0.40					H	V2	Sublime Sync	3	1,13	23,33	45	50,63	1.049,88
25x150cm	Natural	R9RN	Ossimori Avorio Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	3	1,13	23,29	45	50,63	1.047,92
11x54cm	Natural	R9SQ	Ossimori Avorio Chevron	MM 09		 	 	R9	> 0.40					H	V2	Sublime Sync	18	0,94	17,44	45	42,44	784,98
11x54cm	Natural	R9SV	Ossimori Avorio Extra Matt Chevron	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	18	0,94	17,70	45	42,44	796,32
20x120cm	Natural	R9TA	Ossimori Avorio Rt	MM 9,5	•	 	 	R9	> 0.40					H	V2	Sublime Sync	4	0,96	19,84	40	38,40	793,55
20x120cm	Natural	R9TG	Ossimori Avorio Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	4	0,96	20,22	40	38,40	808,76
20x120cm	Grip	R9VS	Ossimori Avorio Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	Sublime Sync	4	0,96	19,58	40	38,40	783,03



Beige

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	R9RJ	Ossimori Beige Rt	MM 9,5	•	 	 	R9	> 0.40					H	V2	Sublime Sync	3	1,13	22,61	45	50,63	1.017,59
25x150cm	Natural	R9RP	Ossimori Beige Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	3	1,13	23,42	45	50,63	1.053,81
11x54cm	Natural	R9SR	Ossimori Beige Chevron	MM 09		 	 	R9	> 0.40					H	V2	Sublime Sync	18	0,94	17,75	45	42,44	798,72
11x54cm	Natural	R9SW	Ossimori Beige Extra Matt Chevron	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	18	0,94	17,69	45	42,44	796,02
20x120cm	Natural	R9TC	Ossimori Beige Rt	MM 9,5	•	 	 	R9	> 0.40					H	V2	Sublime Sync	4	0,96	19,77	40	38,40	790,94
20x120cm	Natural	R9TH	Ossimori Beige Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	4	0,96	19,86	40	38,40	794,37
20x120cm	Grip	R9VT	Ossimori Beige Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	G	V2	Sublime Sync	4	0,96	19,28	40	38,40	771,24



Marrone

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	R9RL	Ossimori Marrone Rt	MM 9,5	•	 	 	R9	> 0.40					G	V2	Sublime Sync	3	1,13	23,84	45	50,63	1.073,02
25x150cm	Natural	R9RR	Ossimori Marrone Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	3	1,13	23,16	45	50,63	1.042,31
11x54cm	Natural	R9ST	Ossimori Marrone Chevron	MM 09		 	 	R9	> 0.40					G	V2	Sublime Sync	18	0,94	17,21	45	42,44	774,53
11x54cm	Natural	R9SY	Ossimori Marrone Extra Matt Chevron	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	18	0,94	17,55	45	42,44	789,95
20x120cm	Natural	R9TE	Ossimori Marrone Rt	MM 9,5	•	 	 	R9	> 0.40					G	V2	Sublime Sync	4	0,96	19,41	40	38,40	776,38
20x120cm	Natural	R9TK	Ossimori Marrone Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	StepWise, Sublime Sync, Zero Glossy	4	0,96	19,54	40	38,40	781,60
20x120cm	Grip	R9VW	Ossimori Marrone Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	G	V2	Sublime Sync	4	0,96	19,32	40	38,40	772,64



Miele

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
25x150cm	Natural	R9RK	Ossimori Miele Rt	MM 9,5	•	 	 	R9	> 0.40					G	V2	Sublime Sync	3	1,13	23,85	45	50,63	1.073,25
25x150cm	Natural	R9RQ	Ossimori Miele Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	G	V2	StepWise, Sublime Sync, Zero Glossy	3	1,13	22,74	45	50,63	1.023,14
11x54cm	Natural	R9SS	Ossimori Miele Chevron	MM 09		 	 	R9	> 0.40					G	V2	Sublime Sync	18	0,94	17,29	45	42,44	778,08
11x54cm	Natural	R9SX	Ossimori Miele Extra Matt Chevron	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	G	V2	StepWise, Sublime Sync, Zero Glossy	18	0,94	17,50	45	42,44	787,46
20x120cm	Natural	R9TD	Ossimori Miele Rt	MM 9,5	•	 	 	R9	> 0.40					G	V2	Sublime Sync	4	0,96	19,69	40	38,40	787,69
20x120cm	Natural	R9TJ	Ossimori Miele Extra Matt Rt	MM 9,5	•	 	 	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	G	V2	StepWise, Sublime Sync, Zero Glossy	4	0,96	19,44	40	38,40	777,49
20x120cm	Grip	R9VU	Ossimori Miele Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	G	V2	Sublime Sync	4	0,96	20,20	40	38,40	807,91

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D	G
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	H
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.	

Color variations

V0	V3
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	V4
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run	

Certifications

							
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Recycled Material	Greenguard	LEED Credits	FDES	Declare	HPD	CCC	CE 001MRZI
							
CE 009MRZI	UKCA 001MRZUK	UKCA 009MRZUK	SASO				



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

RAGNO 