

WOOD EFFECT

Woodchoice Collection

RAGNO 



R02Q Calce Puro 7x28cm - R17J Woodchoice Sugar 11x54cm

Woodchoice


A laying pattern with elegant rhythm takes shape in Woodchoice, a wood-effect porcelain stoneware collection that reinterprets the Chevron format with natural taste. The range comes in Coconut, Milk, Sugar, Tea and Salt, in the 11x54 size. The surfaces evoke the richness of wood through delicate variations and a warm presence, designed for refined compositions. Ideal for residential and commercial spaces, it brings harmony, character and timeless elegance.

Porcelain Stoneware



Coconut

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
11x54cm	Natural	R17K	Woodchoice Coconut	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		18	0,94	17,56	45	42,44	790,24



Milk

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
11x54cm	Natural	R17H	Woodchoice Milk	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		18	0,94	17,42	45	42,44	783,68



Salt

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
11x54cm	Natural	R17M	Woodchoice Salt	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		18	0,94	17,20	45	42,44	773,82

Porcelain Stoneware



Sugar

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
11x54cm	Natural	R17J	Woodchoice Sugar	MM 09				R9	> 0.40	Class 1			>= 0.42	G	V3		18	0,94	17,83	45	42,44	802,50



Tea

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
11x54cm	Natural	R17L	Woodchoice Tea	MM 09				R9	> 0.40	Class 1			>= 0.42	G	V3		18	0,94	17,28	45	42,44	777,51

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

- D

Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.
- G

Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
- E

Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.
- H

Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
- F

Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Color variations

- V0

Monochromatic - V0: tiles of the same shade are very uniform, in just one colour
- V3

Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
- V1

Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run
- V4

Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
- V2

Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

Certifications



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Greenguard



LEED Credits



FDES



Declare



HPD



CCC



CE 001MRZI



CE 010MRZ



UKCA 00 1MRZUK



UKCA 01 0MRZUK



SASO



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

RAGNO 