


SMART FLOOR

Woodclass Collection





R76R Woodclass Honey Rt 14x90cm

Woodclass

Oak finds a warm, natural voice in Woodclass, a wood-effect porcelain stoneware collection designed for intimate, comfortable settings. The range comes in White, Beige, Walnut, Cherry and Honey, in the 14.5x90 size. The surfaces interpret the essence of wood with balance and simplicity, leaving room for personalized laying solutions. Ideal for residential and commercial spaces, it brings welcome, harmony and sober everyday elegance.



R74F Imperiale Calacatta Rt 30x90cm - R76T Woodclass Walnut Rt 14x90cm



R76S Woodclass Cherry Rt 14x90cm



R76S Woodclass Cherry Rt 14x90cm



R76V Woodclass Beige Rt 14x90cm



R76U Woodclass White Rt 14x90cm

Porcelain Stoneware



Beige

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76V	Woodclass Beige Rt	MM 08	•	 	 	R9	> 0.40	Class 1				H			8	1,04	18,59	48	50,11	892,31



Cherry

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
14,5x90cm	Natural	R76S	Woodclass Cherry Rt	MM 08	•	 	 	R9	> 0.40	Class 1				H				8	1,04	18,47	48	50,11	886,62




Honey

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
14,5x90cm	Natural	R76R	Woodclass Honey Rt	MM 08	•	 	 	R9	> 0.40	Class 1				H				8	1,04	19,62	48	50,11	941,78



Walnut

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76T	Woodclass Walnut Rt	MM 08	•	 	 	R9	> 0.40	Class 1				H			8	1,04	19,05	48	50,11	914,62



White

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
14,5x90cm	Natural	R76U	Woodclass White Rt	MM 08	•	 	 	R9	> 0.40	Class 1				H				8	1,04	19,14	48	50,11	918,64

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D	Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	G	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	H	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.		

Color variations

V0	Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	V3	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	V4	Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run		

Certifications

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	Greenguard	LEED Credits
							
FDES	Declare	HPD	CE 001MRZI	CE 009MRZI	UKCA 001MRZUK	UKCA 009MRZUK	SASO

© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

