

WOOD EFFECT

Woodsense Collection


RAGNO 



R7FX Woodsense Grigio Rt 20x120cm - R7HD Contrasti Tappeto 2 20x20cm


Woodsense

The memory of wood runs through Woodsense, a porcelain stoneware collection with a warm, lived-in character. The range comes in Grigio, Avorio, Beige and Marrone, in the 20x120 size. The surfaces evoke rustic atmospheres with natural shades and a deep material presence. StepWise technology enhances the surface with softness and slip resistance. Also suitable for outdoors, it brings continuity, welcome and authenticity to spaces.



Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Grip	R7G0	Woodsense Avorio Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	StepWise	3	0,72	15,03	60	43,20	902,07
20x120cm	Natural	R7FU	Woodsense Avorio Rt	MM 9,5	•	 	 	R10	> 0.40	Class 1			>= 0.42	G	V3	StepWise	3	0,72	15,08	60	43,20	905,09




Beige

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Grip	R7GA	Woodsense Beige Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	StepWise	3	0,72	15,05	60	43,20	902,82
20x120cm	Natural	R7FV	Woodsense Beige Rt	MM 9,5	•	 	 	R10	> 0.40	Class 1			>= 0.42	G	V3	StepWise	3	0,72	14,51	60	43,20	870,79



Grigio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Grip	R7GD	Woodsense Grigio Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	StepWise	3	0,72	14,92	60	43,20	895,15
20x120cm	Natural	R7FX	Woodsense Grigio Rt	MM 9,5	•	 	 	R10	> 0.40	Class 1			>= 0.42	G	V3	StepWise	3	0,72	14,79	60	43,20	887,25



Marrone

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Grip	R7GC	Woodsense Marrone Grip Rt	MM 9,5	•	 	 	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	StepWise	3	0,72	14,92	60	43,20	894,97
20x120cm	Natural	R7FW	Woodsense Marrone Rt	MM 9,5	•	 	 	R10	> 0.40	Class 1			>= 0.42	G	V3	StepWise	3	0,72	14,80	60	43,20	887,98

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D	Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	G	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	H	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.		

Color variations

V0	Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	V3	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	V4	Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run		

Certifications

 ISO 14001	 ISO 45001	 ISO 9001	 Green Building Council	 GPP	 EPD Italy	 ISO 17889-1	 Greenguard
 LEED Credits	 QBUPEC D+	 FDES	 Declare	 HPD	 CCC	 CE 001MRZI	 CE 009MRZI
 UKCA 00 1MRZUK	 UKCA 00 9MRZUK	 SASO					



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

RAGNO 