

WOOD EFFECT

Woodmania Collection

RAGNO 



R56D Woodmania Musk 20x120cm

Woodmania

A lived-in naturalness runs through Woodmania, a wood-effect porcelain stoneware collection that combines soft veining with contemporary sensitivity. The range comes in Ivory, Caramel, Honey, Ash and Musk, in the 20x120 size. The surfaces recall the nobility of wood with delicate shade variations and a warm presence, designed for welcoming, current spaces. Also suitable for outdoor areas, it brings continuity, character and harmony outside and in.



R56D Woodmania Musk 20x120cm



R56C Woodmania Caramel 20x120cm



R56Q Woodmania Grip Ash 20x120cm



R56M Woodmania Grip Honey 20x120cm



R56A Woodmania Honey 20x120cm



Ash

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	R56E	Woodmania Ash	MM 9,5				R10	> 0.40	Class 2			>= 0.42	G			4	0,96	20,57	40	38,40	822,80
20x120cm	Grip	R56Q	Woodmania Grip Ash	MM 9,5				R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H			4	0,96	20,58	40	38,40	823,15



Caramel

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	R56C	Woodmania Caramel	MM 9,5				R10	> 0.40	Class 2			>= 0.42	G			4	0,96	19,72	40	38,40	788,82
20x120cm	Grip	R56N	Woodmania Grip Caramel	MM 9,5				R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H			4	0,96	20,02	40	38,40	800,67




Honey

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	R56A	Woodmania Honey	MM 9,5				R10	> 0.40	Class 2			>= 0.42	H			4	0,96	19,46	40	38,40	778,59
20x120cm	Grip	R56M	Woodmania Grip Honey	MM 9,5				R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H			4	0,96	19,51	40	38,40	780,33



Ivory

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	R55Z	Woodmania Ivory	MM 9,5				R10	> 0.40	Class 2			>= 0.42	H			4	0,96	20,21	40	38,40	808,42
20x120cm	Grip	R56L	Woodmania Grip Ivory	MM 9,5				R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G			4	0,96	20,08	40	38,40	803,01



Musk

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
20x120cm	Natural	R56D	Woodmania Musk	MM 9,5				R10	> 0.40	Class 2			>= 0.42	G			4	0,96	20,19	40	38,40	807,74
20x120cm	Grip	R56P	Woodmania Grip Musk	MM 9,5				R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H			4	0,96	20,55	40	38,40	821,92

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

- D**
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.
- E**
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.
- F**
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Color variations

- V0**
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour
- V1**
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run
- V2**
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

- G**
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
- H**
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

- V3**
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
- V4**
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications



ISO 14001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Greenguard



LEED Credits



FDES



Declare



HPD



CCC



CE 001MRZI



CE 009MRZI



UKCA 001MRZUK



UKCA 009MRZUK



SASO



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/08/2026

RAGNO 