




MARBLE EFFECT

# Imperiale Collection





R72M Imperiale Crema Glossy Rt 58x116cm - R74S Imperiale Str Shanghai Crema 30x90cm

## Imperiale

The charm of marble defines Imperiale, a porcelain stoneware and ceramic collection for floors and walls. The range includes Bianca, Calacatta, Travertino, Crema, Venato, Statuarietto and Travertino grigio in 30x90, 58x58, 58x116, 60x60 and 60x120 sizes. The 2.3x2.3 mosaic, the Tangram and Merletto decors, and the Gemma and Shanghai 3D structures expand decorative and laying solutions. StepWise technology adds slip resistance to coordinated surfaces throughout.



R74G Imperiale Avorio Rt 30x90cm - R759 Imperiale Str Gemma Avorio 30x90cm - R75Y Imperiale Listello Titanio 1x90cm



R75T Imperiale Decoro Merletto Bianco 30x90cm



R726 Imperiale Statuarietto Glossy Rt 58x116cm - R74N Imperiale Str Shanghai Statuarietto 30x90cm



R738 Imperiale Bianco Rt 60x60cm



R731 Imperiale Travertino Glossy Rt 58x58cm - R74H Imperiale Travertino Rt 30x90cm - R74R Imperiale Str Shanghai Travertino 30x90cm - R75P Imperiale Mosaico Travertino 30x30cm



R755 Imperiale Str Gemma Bianco 30x90cm



R74E Imperiale Statuarietto Rt 30x90cm



R732 Imperiale Travertino Grigio Glossy Rt 58x58cm



R734 Imperiale Crema Glossy Rt 58x58cm - R74K Imperiale Crema Rt 30x90cm - R759 Imperiale Str Gemma Avorio 30x90cm - R75Y Imperiale Listello Titanio 1x90cm






Avorio

| Size     | Surface | Code | Description                | Thickness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq | Kg   | Pallet | Mq | Kg    |          |
|----------|---------|------|----------------------------|-----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|----|------|--------|----|-------|----------|
| 30x90cm  | Glossy  | R74G | Imperiale Avorio Rt        | MM 10     | •     |                           |     |   |     |                |               |                     |      |              | V1 |               |       | 5  | 1,35 | 22,20  | 40 | 54,00 | 888,16   |
| 58x116cm | Glossy  | R72J | Imperiale Avorio Glossy Rt | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      |       | 2  | 1,35 | 29,32  | 36 | 48,44 | 1.055,37 |
| 60x120cm | Natural | R72S | Imperiale Avorio Rt        | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      |       | 2  | 1,44 | 31,11  | 36 | 51,84 | 1.119,90 |
| 58x58cm  | Glossy  | R730 | Imperiale Avorio Glossy Rt | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      |       | 3  | 1,01 | 21,47  | 40 | 40,37 | 858,71   |
| 60x60cm  | Natural | R73D | Imperiale Avorio Rt        | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      |       | 3  | 1,08 | 22,00  | 40 | 43,20 | 880,20   |




Bianco

| Size     | Surface | Code | Description                | Thickness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |        |
|----------|---------|------|----------------------------|-----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|--------|
| 30x90cm  | Glossy  | R74D | Imperiale Bianco Rt        | MM 10     | •     |                           |     |   |     |                |               |                     |      |              | V1 |               |       | 5    | 1,35  | 22,21  | 40    | 54,00    | 888,60 |
| 58x116cm | Glossy  | R70Z | Imperiale Bianco Glossy Rt | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 29,21 | 36     | 48,44 | 1.051,71 |        |
| 60x120cm | Natural | R72P | Imperiale Bianco Rt        | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 2     | 1,44 | 30,82 | 36     | 51,84 | 1.109,35 |        |
| 58x58cm  | Glossy  | R72W | Imperiale Bianco Glossy Rt | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 21,64 | 40     | 40,37 | 865,52   |        |
| 60x60cm  | Natural | R738 | Imperiale Bianco Rt        | MM 9,5    | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 22,61 | 40     | 43,20 | 904,33   |        |



Calacatta

| Size     | Surface | Code | Description                   | Thikness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |        |
|----------|---------|------|-------------------------------|----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|--------|
| 30x90cm  | Glossy  | R74F | Imperiale Calacatta Rt        | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               |       | 5    | 1,35  | 22,09  | 40    | 54,00    | 883,80 |
| 58x116cm | Glossy  | R72H | Imperiale Calacatta Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 29,90 | 36     | 48,44 | 1.076,24 |        |
| 58x58cm  | Glossy  | R72Z | Imperiale Calacatta Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 21,22 | 40     | 40,37 | 848,78   |        |
| 60x60cm  | Natural | R73C | Imperiale Calacatta Rt        | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 22,50 | 40     | 43,20 | 900,00   |        |




Crema

| Size     | Surface | Code | Description               | Thikness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |        |
|----------|---------|------|---------------------------|----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|--------|
| 30x90cm  | Glossy  | R74K | Imperiale Crema Rt        | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               |       | 5    | 1,35  | 22,23  | 40    | 54,00    | 889,33 |
| 58x116cm | Glossy  | R72M | Imperiale Crema Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 29,20 | 36     | 48,44 | 1.051,02 |        |
| 60x120cm | Natural | R72U | Imperiale Crema Rt        | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 2     | 1,44 | 30,33 | 36     | 51,84 | 1.091,83 |        |
| 58x58cm  | Glossy  | R734 | Imperiale Crema Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 21,61 | 40     | 40,37 | 864,41   |        |
| 60x60cm  | Natural | R73G | Imperiale Crema Rt        | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 22,91 | 40     | 43,20 | 916,42   |        |



Statuarietto

| Size     | Surface | Code | Description                      | Thikness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|---------|------|----------------------------------|----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|
| 30x90cm  | Glossy  | R74E | Imperiale Statuarietto Rt        | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 21,76 | 40     | 54,00 | 870,55   |
| 58x116cm | Glossy  | R72G | Imperiale Statuarietto Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 29,78 | 36     | 48,44 | 1.072,19 |
| 60x120cm | Natural | R72R | Imperiale Statuarietto Rt        | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 2     | 1,44 | 30,33 | 36     | 51,84 | 1.092,06 |
| 58x58cm  | Glossy  | R72Y | Imperiale Statuarietto Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 21,53 | 40     | 40,37 | 861,28   |
| 60x60cm  | Natural | R73A | Imperiale Statuarietto Rt        | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 22,74 | 40     | 43,20 | 909,67   |




Travertino

| Size     | Surface | Code | Description                    | Thikness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|---------|------|--------------------------------|----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|
| 30x90cm  | Glossy  | R74H | Imperiale Travertino Rt        | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 22,11 | 40     | 54,00 | 884,23   |
| 58x116cm | Glossy  | R72K | Imperiale Travertino Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 28,30 | 36     | 48,44 | 1.018,97 |
| 58x58cm  | Glossy  | R731 | Imperiale Travertino Glossy Rt | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 21,21 | 40     | 40,37 | 848,25   |
| 60x60cm  | Natural | R73E | Imperiale Travertino Rt        | MM 9,5   | •     |                           |     |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 22,79 | 40     | 43,20 | 911,78   |



Travertino grigio

| Size     | Surface | Code | Description                           | Thikness | Rect. | Technical characteristics                                                                                                                                            | Use                                                                                                                                                                     | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|---------|------|---------------------------------------|----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|
| 58x116cm | Glossy  | R72L | Imperiale Travertino Grigio Glossy Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 28,78 | 36     | 48,44 | 1.035,96 |
| 60x120cm | Natural | R72T | Imperiale Travertino Grigio Rt        | MM 9,5   | •     |   |   |   |     |                |               |                     |      | H            | V2 | StepWise      | 2     | 1,44 | 31,67 | 36     | 51,84 | 1.140,09 |
| 58x58cm  | Glossy  | R732 | Imperiale Travertino Grigio Glossy Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 21,47 | 40     | 40,37 | 858,89   |
| 60x60cm  | Natural | R73F | Imperiale Travertino Grigio Rt        | MM 9,5   | •     |   |   |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 22,50 | 40     | 43,20 | 899,81   |



Venato

| Size     | Surface | Code | Description                | Thikness | Rect. | Technical characteristics                                                                                                                                                | Use                                                                                                                                                                         | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|---------|------|----------------------------|----------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|----------|
| 58x116cm | Glossy  | R710 | Imperiale Venato Glossy Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      | F            | V2 | StepWise      | 2     | 1,35 | 29,17 | 36     | 48,44 | 1.050,11 |
| 60x120cm | Natural | R72Q | Imperiale Venato Rt        | MM 9,5   | •     |   |   |   |     |                |               |                     |      | H            | V2 | StepWise      | 2     | 1,44 | 29,98 | 36     | 51,84 | 1.079,33 |
| 58x58cm  | Glossy  | R72X | Imperiale Venato Glossy Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      | F            | V2 | StepWise      | 3     | 1,01 | 20,37 | 40     | 40,37 | 814,86   |
| 60x60cm  | Natural | R739 | Imperiale Venato Rt        | MM 9,5   | •     |   |   |   |     |                |               |                     |      | H            | V2 | StepWise      | 3     | 1,08 | 23,27 | 40     | 43,20 | 930,83   |



Shanghai 3D

| Size    | Surface | Code | Description                        | Thikness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|---------|------|------------------------------------|----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|--------|
| 30x90cm | Glossy  | R74M | Imperiale Str Shangai Bianco       | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,46 | 40     | 54,00 | 818,31 |
| 30x90cm | Glossy  | R74N | Imperiale Str Shangai Statuarietto | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 21,82 | 40     | 54,00 | 872,94 |
| 30x90cm | Glossy  | R74P | Imperiale Str Shangai Calacatta    | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,39 | 40     | 54,00 | 815,59 |
| 30x90cm | Glossy  | R74Q | Imperiale Str Shangai Avorio       | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,65 | 40     | 54,00 | 825,94 |
| 30x90cm | Glossy  | R74R | Imperiale Str Shangai Travertino   | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,88 | 40     | 54,00 | 835,27 |
| 30x90cm | Glossy  | R74S | Imperiale Str Shangai Crema        | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,50 | 40     | 54,00 | 820,05 |



Gemma 3D

| Size    | Surface | Code | Description                      | Thikness | Rect. | Technical characteristics | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|---------|------|----------------------------------|----------|-------|---------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|--------|
| 30x90cm | Glossy  | R755 | Imperiale Str Gemma Bianco       | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 19,46 | 40     | 54,00 | 778,21 |
| 30x90cm | Glossy  | R757 | Imperiale Str Gemma Statuarietto | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 19,88 | 40     | 54,00 | 795,29 |
| 30x90cm | Glossy  | R758 | Imperiale Str Gemma Calacatta    | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 19,83 | 40     | 54,00 | 793,30 |
| 30x90cm | Glossy  | R759 | Imperiale Str Gemma Avorio       | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,06 | 40     | 54,00 | 802,50 |
| 30x90cm | Glossy  | R75A | Imperiale Str Gemma Travertino   | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 19,75 | 40     | 54,00 | 789,94 |
| 30x90cm | Glossy  | R75C | Imperiale Str Gemma Crema        | MM 10    | •     |                           |     |   |     |                |               |                     |      |              | V1 |               | 5     | 1,35 | 20,52 | 40     | 54,00 | 820,92 |




Tangram

| Size    | Surface | Code | Description                         | Thikness | Rect. | Technical characteristics | Use                                                                                 | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq | Kg   | Pallet | Mq | Kg    |        |
|---------|---------|------|-------------------------------------|----------|-------|---------------------------|-------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|----|------|--------|----|-------|--------|
| 30x90cm | Glossy  | R75E | Imperiale Decoro Tangram Bianco     | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               |       | 5  | 1,35 | 22,73  | 40 | 54,00 | 909,09 |
| 30x90cm | Glossy  | R75G | Imperiale Decoro Tangram Travertino | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               |       | 5  | 1,35 | 22,73  | 40 | 54,00 | 909,09 |



Merletto

| Size    | Surface | Code | Description                         | Thikness | Rect. | Technical characteristics | Use                                                                                   | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq | Kg   | Pallet | Mq | Kg    |        |
|---------|---------|------|-------------------------------------|----------|-------|---------------------------|---------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|----|------|--------|----|-------|--------|
| 30x90cm | Glossy  | R75T | Imperiale Decoro Merletto Bianco    | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               |       | 2  | 0,54 | 9,09   | 30 | 16,20 | 272,73 |
| 30x90cm | Glossy  | R75U | Imperiale Decoro Merletto Statuario | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               |       | 2  | 0,54 | 9,09   | 30 | 16,20 | 272,73 |
| 30x90cm | Glossy  | R75V | Imperiale Decoro Merletto Calacatta | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               |       | 2  | 0,54 | 9,09   | 30 | 16,20 | 272,73 |
| 30x90cm | Glossy  | R75W | Imperiale Decoro Merletto Crema     | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               |       | 2  | 0,54 | 9,09   | 30 | 16,20 | 272,73 |



Mosaico 2,3x2,3 Bianco

| Size    | Surface | Code | Description              | Thikness | Rect. | Technical characteristics | Use                                                                                   | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|--------------------------|----------|-------|---------------------------|---------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Glossy  | R75K | Imperiale Mosaico Bianco | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               | 4     | 0,36 | 6,40 | 60     | 21,60 | 384,00 |



Mosaico 2,3x2,3 Avorio

| Size    | Surface | Code | Description              | Thikness | Rect. | Technical characteristics | Use                                                                                 | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|--------------------------|----------|-------|---------------------------|-------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Glossy  | R75N | Imperiale Mosaico Avorio | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               | 4     | 0,36 | 6,40 | 60     | 21,60 | 384,00 |



Mosaico 2,3x2,3 Calacatta

| Size    | Surface | Code | Description                 | Thikness | Rect. | Technical characteristics | Use                                                                                  | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|-----------------------------|----------|-------|---------------------------|--------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Glossy  | R75M | Imperiale Mosaico Calacatta | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               | 4     | 0,36 | 6,40 | 60     | 21,60 | 384,00 |



Mosaico 2,3x2,3 Travertino

| Size    | Surface | Code | Description                  | Thikness | Rect. | Technical characteristics | Use                                                                                   | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|------------------------------|----------|-------|---------------------------|---------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Glossy  | R75P | Imperiale Mosaico Travertino | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               | 4     | 0,36 | 6,40 | 60     | 21,60 | 384,00 |



Mosaico 2,3x2,3 Crema

| Size    | Surface | Code | Description             | Thikness | Rect. | Technical characteristics | Use                                                                                 | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|-------------------------|----------|-------|---------------------------|-------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Glossy  | R75Q | Imperiale Mosaico Crema | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               | 4     | 0,36 | 6,40 | 60     | 21,60 | 384,00 |



Mosaico 2,3x2,3 Statuarietto

| Size    | Surface | Code | Description                    | Thikness | Rect. | Technical characteristics | Use                                                                                  | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|--------------------------------|----------|-------|---------------------------|--------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Glossy  | R75L | Imperiale Mosaico Statuarietto | MM 10    | •     |                           |  |   |     |                |               |                     |      |              | V1 |               | 4     | 0,36 | 6,40 | 60     | 21,60 | 384,00 |

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso


|   |                                                                                                                                                  |   |                                                                                                                                               |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------|
| D | Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.                                                | G | Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.                |
| E | Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.                                         | H | Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private. |
| F | Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear. |   |                                                                                                                                               |

Color variations

|    |                                                                                                                  |    |                                                                                                                                                                                                              |
|----|------------------------------------------------------------------------------------------------------------------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| V0 | Monochromatic - V0: tiles of the same shade are very uniform, in just one colour                                 | V3 | Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material              |
| V1 | Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run   | V4 | Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material |
| V2 | Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run |    |                                                                                                                                                                                                              |

Certifications

|                                                                                                                                                              |                                                                                                                                                              |                                                                                                                                                       |                                                                                                                                                       |                                                                                                                     |                                                                                                                           |                                                                                                                                    |                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <br>CQY<br>CERTIFIED ENVIRONMENTAL<br>MANAGEMENT SYSTEM<br>ISO 14001:2015 | <br>CQY<br>CERTIFIED ENVIRONMENTAL<br>MANAGEMENT SYSTEM<br>ISO 14001:2015 | <br>CQY<br>CERTIFIED SAFETY<br>MANAGEMENT SYSTEM<br>ISO 45001:2018 | <br>CQY<br>CERTIFIED QUALITY<br>MANAGEMENT SYSTEM<br>ISO 9001:2015 | <br>Green<br>Building<br>Council | <br>GPP<br>Green Public<br>Procurement | <br>EPD<br>Environmental<br>Product Declaration | <br>EPD<br>Environmental<br>Product Declaration |
| ISO<br>14001                                                                                                                                                 | ISO<br>50001                                                                                                                                                 | ISO<br>45001                                                                                                                                          | ISO 9001                                                                                                                                              |                                                                                                                     | GPP                                                                                                                       | EPD Italy                                                                                                                          | EPD<br>Spain                                                                                                                       |
| <br>ISO<br>17889-1                                                        | <br>Recycled<br>Material                                                  | <br>Greengu<br>ard                                                 | <br>LEED<br>Credits                                                | <br>QBUPEC                       | <br>FDES                               | <br>Red List<br>Free<br>Declare.                | <br>HPD<br>Health Product<br>Declaration        |
| CCC                                                                                                                                                          | CE<br>001MRZI                                                                                                                                                | CE<br>005MRZI                                                                                                                                         | CE<br>009MRZI                                                                                                                                         | UK<br>CA<br>UKCA 00<br>1MRZUK                                                                                       | UK<br>CA<br>UKCA 00<br>5MRZUK                                                                                             | UK<br>CA<br>UKCA 00<br>9MRZUK                                                                                                      | SASO                                                                                                                               |



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group  
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 25/08/2026

**RAGNO**