

STONE EFFECT

# Realstone\_PietrAntica Collection

RAGNO 







R78N Pietrantica Beige Rt 60x120cm

## Realstone\_PietrAntica

Authentic stone charm defines Realstone\_PietrAntica, a porcelain stoneware collection with a contemporary spirit. It includes Bianco, Beige and Multicolor in 30x60, 60x60 and 60x120 sizes, also in 20 mm for outdoor use. The range is completed by the Cementine decor and the Muretto and 5x5 mosaics, extending decorative and laying options. Ideal for indoor and outdoor spaces, it brings texture, visual continuity and a natural feel with balanced surface appeal.





R70Z Pietrantica Beige Muretto 15x30cm







R78N Pietrantica Beige Rt 60x120cm - R7RH Pietrantica Decoro Cementine Caldi 30x30cm





R78P Pietrantica Multicolor Rt 60x120cm - R78T Pietrantica Multicolor Rt 60x60cm - R78X Pietrantica Multicolor Rt 30x60cm - R7DL Pietrantica Multicolor Str 30x60cm








Colorbody Fine Porcelain Stoneware



Beige

| Size     | Surface            | Code | Description                                | Thikness | Rect. | Technical characteristics                                                                                                                                            | Use                                                                                                                                                                     | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|--------------------|------|--------------------------------------------|----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|----------------|---------------|---------------------|---------|--------------|----|---------------|-------|------|-------|--------|-------|----------|
| 60x120cm | Natural            | R78N | Pietrantica Beige Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            | V2 |               | 2     | 1,44 | 30,96 | 36     | 51,84 | 1.114,60 |
| 30x60cm  | Natural            | R78W | Pietrantica Beige Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            | V2 |               | 6     | 1,08 | 22,43 | 48     | 51,84 | 1.076,86 |
| 60x120cm | Smooth             | R790 | Pietrantica Beige Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            | V2 |               | 2     | 1,44 | 31,13 | 36     | 51,84 | 1.120,62 |
| 60x60cm  | Smooth             | R794 | Pietrantica Beige Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            | V2 |               | 3     | 1,08 | 22,35 | 40     | 43,20 | 893,85   |
| 30x60cm  | Smooth             | R79A | Pietrantica Beige Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            | V2 |               | 6     | 1,08 | 21,64 | 48     | 51,84 | 1.038,88 |
| 30x60cm  | Structured Surface | R7DK | Pietrantica Beige Str                      | MM 9,5   | •     |   |   | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.42 | H            | V2 |               | 6     | 1,08 | 22,44 | 48     | 51,84 | 1.077,08 |
| 60x60cm  | Structured Surface | R7JH | Realstone Pietrantica Beige Strutturato Rt | MM 9,5   | •     |   |   | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.42 | H            | V2 |               | 3     | 1,08 | 21,69 | 40     | 43,20 | 867,47   |
| 60x60cm  | Natural            | R78S | Pietrantica Beige Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            | V2 |               | 3     | 1,08 | 22,69 | 40     | 43,20 | 907,56   |



Bianco

| Size     | Surface            | Code | Description                                 | Thikness | Rect. | Technical characteristics                                                                                                                                                | Use                                                                                                                                                                         | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|--------------------|------|---------------------------------------------|----------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|----------------|---------------|---------------------|---------|--------------|----|---------------|-------|------|-------|--------|-------|----------|
| 60x120cm | Natural            | R78M | Pietrantica Bianco Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            | V2 |               | 2     | 1,44 | 29,21 | 36     | 51,84 | 1.051,73 |
| 30x60cm  | Natural            | R78V | Pietrantica Bianco Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            | V2 |               | 6     | 1,08 | 21,30 | 48     | 51,84 | 1.022,28 |
| 60x120cm | Smooth             | R78Z | Pietrantica Bianco Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            | V2 |               | 2     | 1,44 | 29,44 | 36     | 51,84 | 1.059,69 |
| 60x60cm  | Smooth             | R793 | Pietrantica Bianco Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            | V2 |               | 3     | 1,08 | 22,17 | 40     | 43,20 | 886,88   |
| 30x60cm  | Smooth             | R799 | Pietrantica Bianco Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            | V2 |               | 6     | 1,08 | 21,26 | 48     | 51,84 | 1.020,47 |
| 30x60cm  | Structured Surface | R7DJ | Pietrantica Bianco Str                      | MM 9,5   | •     |   |   | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.42 | H            | V2 |               | 6     | 1,08 | 21,85 | 48     | 51,84 | 1.048,76 |
| 60x60cm  | Structured Surface | R7JG | Realstone Pietrantica Bianco Strutturato Rt | MM 9,5   | •     |   |   | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.42 | H            | V2 |               | 3     | 1,08 | 22,73 | 40     | 43,20 | 909,28   |
| 60x60cm  | Natural            | R78R | Pietrantica Bianco Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            | V2 |               | 3     | 1,08 | 22,25 | 40     | 43,20 | 889,99   |

Colorbody Fine Porcelain Stoneware



Multicolor

| Size     | Surface            | Code | Description                                     | Thikness | Rect. | Technical characteristics                                                                                                                                            | Use                                                                                                                                                                     | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Intended use | V | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|--------------------|------|-------------------------------------------------|----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|----------------|---------------|---------------------|---------|--------------|---|---------------|-------|------|-------|--------|-------|----------|
| 60x120cm | Natural            | R78P | Pietrantica Multicolor Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            |   |               | 2     | 1,44 | 31,14 | 36     | 51,84 | 1.120,86 |
| 30x60cm  | Natural            | R78X | Pietrantica Multicolor Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            |   |               | 6     | 1,08 | 22,81 | 48     | 51,84 | 1.095,06 |
| 60x120cm | Smooth             | R791 | Pietrantica Multicolor Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            |   |               | 2     | 1,44 | 31,82 | 36     | 51,84 | 1.145,64 |
| 60x60cm  | Smooth             | R795 | Pietrantica Multicolor Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            |   |               | 3     | 1,08 | 22,84 | 40     | 43,20 | 913,71   |
| 30x60cm  | Smooth             | R79C | Pietrantica Multicolor Smooth                   | MM 9,5   | •     |   |   |      |        |                |               |                     |         | G            |   |               | 6     | 1,08 | 23,05 | 48     | 51,84 | 1.106,51 |
| 30x60cm  | Structured Surface | R7DL | Pietrantica Multicolor Str                      | MM 9,5   | •     |   |   | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.42 | H            |   |               | 6     | 1,08 | 22,40 | 48     | 51,84 | 1.075,30 |
| 60x60cm  | Structured Surface | R7JJ | Realstone Pietrantica Multicolor Strutturato Rt | MM 9,5   | •     |   |   | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.42 | H            |   |               | 3     | 1,08 | 21,86 | 40     | 43,20 | 874,49   |
| 60x60cm  | Natural            | R78T | Pietrantica Multicolor Rt                       | MM 9,5   | •     |   |   | R10A | > 0.40 | Class 1        |               |                     | >= 0.42 | H            |   |               | 3     | 1,08 | 23,00 | 40     | 43,20 | 920,13   |



| Size    | Surface | Code | Description                         | Thikness | Rect. | Technical characteristics                                                                                                                                                | Use                                                                                                                                                                         | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg    | Pallet | Mq    | Kg     |
|---------|---------|------|-------------------------------------|----------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|-------|--------|-------|--------|
| 30x30cm | Natural | R7RH | Pietrantica Decoro Cementine Caldi  | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V2 |               | 6     | 0,54 | 10,00 | 64     | 34,56 | 640,00 |
| 30x30cm | Natural | R8DF | Pietrantica Decoro Cementine Freddi | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V4 |               | 6     | 0,54 | 10,00 | 64     | 34,56 | 640,00 |



Mosaico 5x5 Bianco

| Size    | Surface | Code | Description                               | Thikness | Rect. | Technical characteristics                                                                                                                                                | Use                                                                                                                                                                         | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|-------------------------------------------|----------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Natural | R7MY | Pietrantica Bianco Mosaico Tessere 5x5 Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V2 |               | 4     | 0,36 | 8,00 | 60     | 21,60 | 480,00 |





Muretto Bianco

| Size    | Surface | Code | Description                | Thikness | Rect. | Technical characteristics                                                                                                                                            | Use                                                                                                                                                                     | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg       |
|---------|---------|------|----------------------------|----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|----------|
| 15x30cm | Natural | R7QY | Pietrantica Bianco Muretto | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V2 |               | 4     | 0,18 | 4,00 | 500    | 90,00 | 2.000,00 |



Mosaico 5x5 Beige


| Size    | Surface | Code | Description                              | Thikness | Rect. | Technical characteristics                                                                                                                                              | Use                                                                                                                                                                       | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|------------------------------------------|----------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Natural | R7MZ | Pietrantica Beige Mosaico Tessere 5x5 Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V2 |               | 4     | 0,36 | 8,00 | 60     | 21,60 | 480,00 |



Muretto Beige

| Size    | Surface | Code | Description               | Thikness | Rect. | Technical characteristics                                                                                                                                                | Use                                                                                                                                                                         | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg       |
|---------|---------|------|---------------------------|----------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|----------|
| 15x30cm | Natural | R7QZ | Pietrantica Beige Muretto | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V2 |               | 4     | 0,18 | 4,00 | 500    | 90,00 | 2.000,00 |





Mosaico 5x5 Multicolor

| Size    | Surface | Code | Description                                   | Thikness | Rect. | Technical characteristics                                                                                                                                            | Use                                                                                                                                                                     | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg     |
|---------|---------|------|-----------------------------------------------|----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|--------|
| 30x30cm | Natural | R7N9 | Pietrantica Multicolor Mosaico Tessere 5x5 Rt | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V4 |               | 4     | 0,36 | 8,00 | 60     | 21,60 | 480,00 |



Muretto Multicolor

| Size    | Surface | Code | Description                    | Thikness | Rect. | Technical characteristics                                                                                                                                              | Use                                                                                                                                                                       | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Intended use | V  | Premium Tech. | Boxes | Mq   | Kg   | Pallet | Mq    | Kg       |
|---------|---------|------|--------------------------------|----------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|----------------|---------------|---------------------|------|--------------|----|---------------|-------|------|------|--------|-------|----------|
| 15x30cm | Natural | R7RA | Pietrantica Multicolor Muretto | MM 9,5   | •     |   |   |   |     |                |               |                     |      |              | V4 |               | 4     | 0,18 | 4,00 | 500    | 90,00 | 2.000,00 |



| Technical Characteristics                                                                                                                        |                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  Frost proof                                                     |                                                                                                                                                                                                               |
|  Resistance deep abrasion                                        |                                                                                                                                                                                                               |
| Destinazioni d'uso                                                                                                                               |                                                                                                                                                                                                               |
| D                                                                                                                                                | G                                                                                                                                                                                                             |
| Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.                                                | Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.                                                                                |
| E                                                                                                                                                | H                                                                                                                                                                                                             |
| Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.                                         | Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.                                                                 |
| F                                                                                                                                                |                                                                                                                                                                                                               |
| Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear. |                                                                                                                                                                                                               |
| Color variations                                                                                                                                 |                                                                                                                                                                                                               |
| V0                                                                                                                                               | V3                                                                                                                                                                                                            |
| Monochromatic - V0: tiles of the same shade are very uniform, in just one colour                                                                 | Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material               |
| V1                                                                                                                                               | V4                                                                                                                                                                                                            |
| Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run                                   | Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material |
| V2                                                                                                                                               |                                                                                                                                                                                                               |
| Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run                                 |                                                                                                                                                                                                               |

| Certifications                                                                      |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
|  |  |  |  |  |  |  |  |  |
| ISO 14001                                                                           | ISO 50001                                                                           | ISO 45001                                                                           | ISO 9001                                                                            | Green Building Council                                                              | GPP                                                                                 | EPD Italy                                                                           | ISO 17889-1                                                                         |  |
|                                                                                     |  |  |  |  |  |  |  |  |
| Recycled Material                                                                   | Greenguard                                                                          | LEED Credits                                                                        | QBUPEC                                                                              | FDES                                                                                | Declare                                                                             | HPD                                                                                 | CCC                                                                                 |  |
|  |  |  |  |  |                                                                                     |                                                                                     |                                                                                     |  |
| CE 001MRZI                                                                          | CE 009MRZI                                                                          | UKCA 00 1MRZUK                                                                      | UKCA 00 9MRZUK                                                                      | SASO                                                                                |                                                                                     |                                                                                     |                                                                                     |  |





© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group  
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
[info@ragno.it](mailto:info@ragno.it)  
[www.ragno.it](http://www.ragno.it)

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 25/08/2026

