RAGNO

Realstone_Classica
Collection

STONE EFFECT





RDD1 Realstone_Classica Bianco R10 Rt 60x120cm - **RDDC** Realstone_Classica Bianco Strutturato 60x120cm

Realstone_Classica

An essential and natural material defines Realstone_Classica, a porcelain stoneware collection for coordinated indoor and outdoor spaces. The collection includes the colours Bianco, Grigio and Avorio, in 60x60, 60x120 and 120x120 sizes. The Clip Mosaic and surfaces that interpret stone with balance and visual continuity complete the range. 3D Ink technology enhances microtextures and veining, giving the material a more authentic, tactile and luminous presence.



RDCZ Realstone_Classica Grigio Strutturato 120x120cm



RDJS Realstone_Classica Bianco Mosaico Clip 33x28cm



RCFJ Stratford Clay Natural Rt 120x278cm - **RDCS** Realstone_Classica Avorio R10 Rt 120x120cm - **RDJQ** Realstone_Classica Avorio Mosaico Clip 33x28cm



RDCS Realstone_Classica Avorio R10 Rt 120x120cm - **RDFR** Mid Salvia Glossy 6x24cm



RCFK Stratford Dark Grey Natural Rt 120x278cm - **RDCU** Realstone_Classica Grigio R10 Rt 120x120cm - **RDCZ** Realstone_Classica Grigio Strutturato 120x120cm - **RDJR** Realstone_Classica Grigio Mosaico Clip 33x28cm

REALSTONE_CLASSICA COLLECTION



RCFG Stratford Beige Natural Rt 120x278cm - **RCU4** Look Lino Struttura 3D Yubi Glossy 6x24cm - **RDCT** Realstone_Classica Bianco R10 Rt 120x120cm

REALSTONE_CLASSICA COLLECTION

Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDCS	Realstone_classica Avorio R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	29,75	36	51,84	1.071,07
120x120cm	Structured Surface	RDCY	Realstone_classica Avorio Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	H	V2	3D Ink	1	1,44	31,06	36	51,84	1.118,21
60x120cm	Natural	RDD3	Realstone_classica Avorio R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	28,97	36	51,84	1.042,85
60x120cm	Structured Surface	RDDA	Realstone_classica Avorio Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	H	V2	3D Ink	2	1,44	29,52	36	51,84	1.062,73
60x60cm	Natural	RDDE	Realstone_classica Avorio R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	21,30	40	43,20	851,90

Bianco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDCT	Realstone_classica Bianco R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	29,80	36	51,84	1.072,63
120x120cm	Structured Surface	RDD0	Realstone_classica Bianco Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	H	V2	3D Ink	1	1,44	31,37	36	51,84	1.129,41
60x120cm	Natural	RDD1	Realstone_classica Bianco R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	29,21	36	51,84	1.051,73
60x120cm	Structured Surface	RDDC	Realstone_classica Bianco Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	H	V2	3D Ink	2	1,44	29,86	36	51,84	1.075,07
60x60cm	Natural	RDDF	Realstone_classica Bianco R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	21,58	40	43,20	863,31

REALSTONE_CLASSICA COLLECTION



Grigio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDCU	Realstone_classica Grigio R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,11	36	51,84	1.119,90
120x120cm	Structured Surface	RDCZ	Realstone_classica Grigio Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	H	V2	3D Ink	1	1,44	31,27	36	51,84	1.125,73
60x120cm	Natural	RDD2	Realstone_classica Grigio R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	29,64	36	51,84	1.066,89
60x120cm	Structured Surface	RDD9	Realstone_classica Grigio Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	H	V2	3D Ink	2	1,44	29,80	36	51,84	1.072,85
60x60cm	Natural	RDDD	Realstone_classica Grigio R10 Rt	MM 09	•			R10B	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2	3D Ink	3	1,08	21,66	40	43,20	866,43

Bianco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
33x28,4cm	Natural	RDJS	Realstone_classica Bianco Mosaico Clip	MM 09	•												4	0,37	8,00	60	22,49	480,00



Grigio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
33x28,4cm	Natural	RDJR	Realstone_classica Grigio Mosaico Clip	MM 09	•												4	0,37	8,00	60	22,49	480,00

REALSTONE_CLASSICA COLLECTION

Colorbody Fine Porcelain Stoneware

Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
33x28,4cm	Natural	RDJQ	Realstone_classica Avorio Mosaico Clip	MM 09	•												4	0,37	8,00	60	22,49	480,00

REALSTONE_CLASSICA COLLECTION

Technical Characteristics

Frost proof

Resistance deep abrasion

Destinazioni d'uso

D

Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E

Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F

Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G

Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H

Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

V0

Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1

Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2

Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3

Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4

Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications

ISO 14001

ISO 50001

ISO 45001

ISO 9001

Green Building Council

GPP

EPD Italy

ISO 17889-1

Recycled Material

LEED Credits

FDES

Declare

HPD

CCC

CE 001MRZI

CE 009MRZI

CE 011MRZ

UKCA 00 1MRZUK

UKCA 00 9MRZUK

UKCA 01 1MRZUK

SASO



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 25/08/2026