

CONCRETE EFFECT

Solida Collection

RAGNO 



RDDY Solida Avorio Strutturato 120x120cm

Solida

The memory of cotto finds a contemporary reading in Solida, where matter balances light and depth. The range comes in Bianco, Grigio, Cemento, Avorio, Cotto and Corda, in 60x60, 60x120, 120x120, 100x100 and 160x160 sizes. The Tappeto 1 Freddo and Tappeto 2 Caldo decors, with Murrina and Stick mosaics, introduce rhythm and graphic accents. 3D Ink technology enhances the surface realism, also suitable for outdoor spaces with natural elegance and measured clarity.



RDDR Solida Avorio Rt 120x120cm - RDFQ Mid Sabbia Glossy 6x24cm - RDFS Mid Sabbia Struttura 3D Way Glossy 6x24cm



RDMG Solida Corda Strutturato Rt 160x160cm



R8GN Gleeze Giada Glossy 10x10cm - RAHG Richmond Rovere Struttura Woody 33x100cm - RDEP Solida Bianco Rt 100x100cm



RDE2 Solida Avorio Rt 60x120cm - RDFU Mid Ambra Struttura 3D Way Glossy 6x24cm



RDDU Solida Cotto Rt 120x120cm



RDCL Hand 3D Made Calce Rt 33x100cm - RDEEN Solida Grigio Rt 100x100cm



RDDS Solida Bianco Rt 120x120cm - RDDX Solida Bianco Strutturato 120x120cm



RDDU Solida Cotto Rt 120x120cm - RDE0 Solida Cotto Strutturato 120x120cm



RDDR Solida Avorio Rt 120x120cm - RDDU Solida Cotto Rt 120x120cm - RDE0 Solida Cotto Strutturato 120x120cm



RDEU Solida Tappeto 1 Freddo Rt 100x100cm



RD5W Realstone Travertino Vein Bianco Matt Rt 120x278cm - RDET Solida Corda Rt 100x100cm - RDJK Solida Corda Mosaico Murrina 30x38cm



RD5W Realstone Travertino Vein Bianco Matt Rt 120x278cm - RDJK Solida Corda Mosaico Murrina 30x38cm



RDAZ Incanto Onice Venato Avorio Rettificato 120x278cm - **RDFL** Mid Lino Glossy 6x24cm - **RDFX** Mid Lino Struttura 3D Way Glossy 6x24cm - **RDME** Solida Corda R10 Rt 160x160cm



RDAY Incanto Onice Avorio Rettificato 120x278cm - RDDP Solida Corda Rt 120x120cm



RDJD Solida Bianco Mosaico Stick 31x31cm - RDMF Solida Bianco R10 Rt 160x160cm



R8HD Gleeze Grigio Glossy 7x20cm - RDDT Solida Grigio Rt 120x120cm - RDEX Incanto Onice Perla Glossy Rettificato 120x278cm



R8NF Incanto Crema Delicato Glossy Rettificato 120x278cm - R9RJ Ossimori Beige Rt 25x150cm - RDEV Solida Tappeto 2 Caldo Rt 100x100cm - RDFF Mid Ambra Glossy 6x24cm



Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDDR	Solida Avorio Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	1	1,44	28,30	36	51,84	1.018,67
120x120cm	Structured Surface	RDDY	Solida Avorio Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
100x100cm	Natural	RDES	Solida Avorio Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	2	2,00	40,93	24	48,00	982,40
60x120cm	Natural	RDE2	Solida Avorio Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	2	1,44	29,28	36	51,84	1.054,09
60x120cm	Structured Surface	RDEC	Solida Avorio Strutturata Rt	MM 09	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	28,25	36	51,84	1.016,87
60x60cm	Natural	RDEH	Solida Avorio Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	3	1,08	21,75	40	43,20	869,92



Bianco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDDS	Solida Bianco Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	RDDX	Solida Bianco Strutturato	MM 09	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
100x100cm	Natural	RDEP	Solida Bianco Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	2	2,00	40,56	24	48,00	973,43
60x120cm	Natural	RDE5	Solida Bianco Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	2	1,44	29,09	36	51,84	1.047,27
60x120cm	Structured Surface	RDE9	Solida Bianco Strutturata Rt	MM 09	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	29,04	36	51,84	1.045,58
60x60cm	Natural	RDEK	Solida Bianco Rt	MM 09	•			R9A	> 0.40	Class 1				H	V2	3D Ink	3	1,08	21,54	40	43,20	861,42
160x160cm	Natural	RDMF	Solida Bianco R10 Rt	MM 09	•			R10B	> 0.40	Class 1			>= 0.42	H		3D Ink	1	2,56	45,28	18	46,08	815,00
160x160cm	Structured Surface	RDMH	Solida Bianco Strutturato Rt	MM 09	•			R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H		3D Ink	1	2,56	51,84	18	46,08	933,17



Cemento

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDDQ	Solida Cemento Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	RDDZ	Solida Cemento Strutturato	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
100x100cm	Natural	RDEQ	Solida Cemento Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	2,00	40,00	24	48,00	960,00
60x120cm	Natural	RDE3	Solida Cemento Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	1,44	28,79	36	51,84	1.036,59
60x120cm	Structured Surface	RDEF	Solida Cemento Strutturata Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	28,89	36	51,84	1.039,92
60x60cm	Natural	RDEL	Solida Cemento Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	3	1,08	21,70	40	43,20	867,82



Corda

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDDP	Solida Corda Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	1	1,44	30,04	36	51,84	1.081,35
120x120cm	Structured Surface	RDDV	Solida Corda Strutturato	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
100x100cm	Natural	RDET	Solida Corda Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	2,00	40,00	24	48,00	960,00
60x120cm	Natural	RDE1	Solida Corda Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	1,44	29,00	36	51,84	1.044,11
60x120cm	Structured Surface	RDEA	Solida Corda Strutturata Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	29,30	36	51,84	1.054,73
60x60cm	Natural	RDEG	Solida Corda Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	3	1,08	21,77	40	43,20	870,79
160x160cm	Natural	RDME	Solida Corda R10 Rt	MM 09	•	 	 	R10B	> 0.40	Class 1			>= 0.42	H		3D Ink	1	2,56	54,00	18	46,08	971,95
160x160cm	Structured Surface	RDMG	Solida Corda Strutturato Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Both Sliders	P4	>= 0.42	H		3D Ink	1	2,56	54,77	18	46,08	985,88



Cotto

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDDU	Solida Cotto Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	RDE0	Solida Cotto Strutturato	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
100x100cm	Natural	RDER	Solida Cotto Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	2,00	39,18	24	48,00	940,44
60x120cm	Natural	RDE8	Solida Cotto Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	1,44	29,16	36	51,84	1.049,82
60x120cm	Structured Surface	RDED	Solida Cotto Strutturata Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	28,41	36	51,84	1.022,89
60x60cm	Natural	RDEM	Solida Cotto Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	3	1,08	21,30	40	43,20	851,90



Grigio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x120cm	Natural	RDDT	Solida Grigio Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	RDDW	Solida Grigio Strutturato	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	1	1,44	31,56	36	51,84	1.136,09
100x100cm	Natural	RDEN	Solida Grigio Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	2,00	40,00	24	48,00	960,00
60x120cm	Natural	RDE4	Solida Grigio Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	2	1,44	28,62	36	51,84	1.030,41
60x120cm	Structured Surface	RDEE	Solida Grigio Strutturata Rt	MM 09	•	 	 	R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	H	V2	3D Ink	2	1,44	28,93	36	51,84	1.041,59
60x60cm	Natural	RDEJ	Solida Grigio Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H	V2	3D Ink	3	1,08	21,72	40	43,20	868,87



Tappeto 1 Caldo

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
100x100cm	Natural	RDEU	Solida Tappeto 1 Freddo Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H		3D Ink	2	2,00	40,00	24	48,00	960,00



Tappeto 2 Freddo

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
100x100cm	Natural	RDEV	Solida Tappeto 2 Caldo Rt	MM 09	•	 	 	R9A	> 0.40	Class 1				H		3D Ink	2	2,00	40,00	24	48,00	960,00




Bianco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
31x31cm	Natural	RDJD	Solida Bianco Mosaico Stick	MM 09	•	 	 										6	0,58	9,50	60	34,60	570,00
30,5x38,5cm	Natural	RDJL	Solida Bianco Mosaico Murrina	MM 09	•												4	0,45	9,50	50	22,33	475,00



Grigio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
31x31cm	Natural	RDJH	Solida Grigio Mosaico Stick	MM 09	•	 	 										6	0,58	9,50	60	34,60	570,00
30,5x38,5cm	Natural	RDJJ	Solida Grigio Mosaico Murrina	MM 09	•												4	0,45	9,50	50	22,33	475,00



Cemento

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
31x31cm	Natural	RDJF	Solida Cemento Mosaico Stick	MM 09	•	 	 										6	0,58	9,50	60	34,60	570,00
30,5x38,5cm	Natural	RDJN	Solida Cemento Mosaico Murrina	MM 09	•												4	0,45	9,50	50	22,33	475,00



Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
31x31cm	Natural	RDJC	Solida Avorio Mosaico Stick	MM 09	•	 	 										6	0,58	9,50	60	34,60	570,00
30,5x38,5cm	Natural	RDJP	Solida Avorio Mosaico Murrina	MM 09	•												4	0,45	9,50	50	22,33	475,00



Cotto

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
31x31cm	Natural	RDJG	Solida Cotto Mosaico Stick	MM 09	•	 	 										6	0,58	9,50	60	34,60	570,00
30,5x38,5cm	Natural	RDJM	Solida Cotto Mosaico Murrina	MM 09	•												4	0,45	9,50	50	22,33	475,00




Corda

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
31x31cm	Natural	RDJE	Solida Corda Mosaico Stick	MM 09	•	 	 											6	0,58	9,50	60	34,60	570,00
30,5x38,5cm	Natural	RDJK	Solida Corda Mosaico Murrina	MM 09	•													4	0,45	9,50	50	22,33	475,00

V2

Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

CERTIFICATIONS



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 31/08/2026

RAGNO 