

CONCRETE EFFECT

Epoca Collection





R55F Epoca Rosa Strutturato 15x30cm

Epoca

Between material memory and a contemporary gaze, Epoca reinterprets cotto through porcelain stoneware surfaces with authentic warmth, natural presence and timeless appeal. The collection comes in Ocra, Rosa, Cotto Scuro and Cotto Rosso, in the 30x30, 15x30 and 15x15 sizes. Tonal variation and the Fascia, Angolo and Tappeto decors, all in Ocra, complete the range and accompany floors and wall coverings with rhythm, continuity and balance. Across interior spaces.



R03Q Epoca Decoro Tappeto 30x30cm - R03R Epoca Ocra Fascia 13x30cm - R03S Epoca Ocra Decoro Angolo 13x13cm - R54V Epoca Ocra 30x30cm






R03Q Epoca Decoro Tappeto 30x30cm - R03R Epoca Ocra Fascia 13x30cm - R03S Epoca Ocra Decoro Angolo 13x13cm - R54V Epoca Ocra 30x30cm

Porcelain Stoneware



Cotto Rosso

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R54Y	Epoca Cotto Rosso	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		14	1,26	21,52	40	50,40	860,80
15x30cm	Natural	R557	Epoca Cotto Rosso	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		20	0,90	15,63	64	57,60	1.000,52
15x15cm	Natural	R55D	Epoca Cotto Rosso	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		40	0,90	16,83	64	57,60	1.077,24
15x30cm	Structured Surface	R55H	Epoca Cotto Rosso Strutturato	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3		20	0,90	15,29	64	57,60	978,59



Cotto Scuro

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R54X	Epoca Ocracotto Scuro	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		14	1,26	22,41	40	50,40	896,48
15x30cm	Natural	R553	Epoca Cotto Scuro	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		20	0,90	15,61	64	57,60	998,79
15x15cm	Natural	R55C	Epoca Cotto Scuro	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		40	0,90	15,41	64	57,60	986,13
15x30cm	Structured Surface	R55G	Epoca Cotto Scuro Strutturato	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3		20	0,90	15,54	64	57,60	994,82

Porcelain Stoneware



Ocra

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R54V	Epoca Ocra	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		14	1,26	22,27	40	50,40	890,77
15x30cm	Natural	R54Z	Epoca Ocra	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		20	0,90	15,40	64	57,60	985,29
15x15cm	Natural	R558	Epoca Ocra	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		40	0,90	16,83	64	57,60	1.077,24
15x30cm	Structured Surface	R55E	Epoca Ocra Strutturato	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3		20	0,90	15,15	64	57,60	969,37



Rosa

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R54W	Epoca Rosa	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		14	1,26	22,25	40	50,40	889,99
15x30cm	Natural	R551	Epoca Rosa	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		20	0,90	15,08	64	57,60	965,15
15x15cm	Natural	R55A	Epoca Rosa	MM 09		 	 	R9	> 0.40	Class 1			>= 0.42	G	V3		40	0,90	15,83	64	57,60	1.012,84
15x30cm	Structured Surface	R55F	Epoca Rosa Strutturato	MM 09		 	 	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3		20	0,90	15,52	64	57,60	993,27



Tappeto

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R03Q	Epoca Decoro Tappeto	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	F	V3		4	0,36	6,90	60	21,60	413,79



Fascia

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
13,8x30cm	Natural	R03R	Epoca Ocra Fascia	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	F	V3		4	0,17	1,65	168	27,82	277,69



Angolo

Size	Surface	Code	Description	Thickness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
13,8x13,8cm	Natural	R03S	Epoca Ocra Decoro Angolo	MM 09	•	 	 	R9	> 0.40	Class 1			>= 0.42	F	V3			4	0,08	2,00	392	29,86	784,00

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso


D	G
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	H
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.	

Color variations

V0	V3
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	V4
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run	

Certifications

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	Greenguard	LEED Credits
							
FDES	Declare	HPD	CCC	CE 001MRZI	CE 010MRZ	UKCA 001MRZUK	UKCA 010MRZUK
							
		SASO					



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 31/08/2026



RAGNO 