

SMART FLOOR

Sound Collection



Sound

A discreet naturalness runs through Sound, a stone-effect porcelain stoneware collection designed for the rooms of the home. The range unfolds in the colours Off White, Cream, Pearl and Smoke, in 60x60, 30x60, 33.3x33.3 and 45x45 sizes. The surfaces interpret stone with soft, versatile nuances, suited to floors and walls. From bathroom to kitchen, from living room to bedroom, they bring continuity, light and sober warmth to everyday spaces with natural ease.



R49K Sound Pearl 60x60cm

Porcelain Stoneware



Cream

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R49J	Sound Cream	MM 09		 	 	R9	> 0.40	Class 1				G			3	1,08	20,63	40	43,20	825,06
30x60cm	Natural	R49N	Sound Cream	MM 09		 	 	R9	> 0.40	Class 1				G			6	1,08	21,31	48	51,84	1.023,09
33,3x33,3cm	Natural	R52L	Sound Cream	MM 08		 	 	R9	> 0.40	Class 1				G			16	1,77	31,02	38	67,42	1.178,90
45x45cm	Natural	R52V	Sound Cream	MM 08		 	 	R9	> 0.40	Class 1				G			6	1,22	23,93	34	41,31	813,51



Off White

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R49H	Sound Off White	MM 09		 	 	R9	> 0.40	Class 1				G			3	1,08	20,58	40	43,20	823,01
30x60cm	Natural	R49M	Sound Off White	MM 09		 	 	R9	> 0.40	Class 1				G			6	1,08	21,02	48	51,84	1.008,95
33,3x33,3cm	Natural	R52K	Sound Off White	MM 08		 	 	R9	> 0.40	Class 1				G			16	1,77	29,58	38	67,42	1.123,87
45x45cm	Natural	R52U	Sound Off White	MM 08		 	 	R9	> 0.40	Class 1				G			6	1,22	23,02	34	41,31	782,68

SOUND COLLECTION

SOUND COLLECTION

Porcelain Stoneware



Pearl

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R49K	Sound Pearl	MM 09		 	 	R9	> 0.40	Class 1				G			3	1,08	20,91	40	43,20	836,56
30x60cm	Natural	R49P	Sound Pearl	MM 09		 	 	R9	> 0.40	Class 1				G			6	1,08	21,09	48	51,84	1.012,50
33,3x33,3cm	Natural	R52M	Sound Pearl	MM 08		 	 	R9	> 0.40	Class 1				G			16	1,77	31,16	38	67,42	1.184,07
45x45cm	Natural	R52W	Sound Pearl	MM 08		 	 	R9	> 0.40	Class 1				G			6	1,22	20,34	34	41,31	691,61



Smoke

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R49L	Sound Smoke	MM 09		 	 	R9	> 0.40	Class 1				G			3	1,08	22,74	40	43,20	909,67
30x60cm	Natural	R49Q	Sound Smoke	MM 09		 	 	R9	> 0.40	Class 1				G			6	1,08	20,98	48	51,84	1.006,99
33,3x33,3cm	Natural	R52N	Sound Smoke	MM 08		 	 	R9	> 0.40	Class 1				G			16	1,77	30,31	38	67,42	1.151,91
45x45cm	Natural	R52X	Sound Smoke	MM 08		 	 	R9	> 0.40	Class 1				G			6	1,22	23,93	34	41,31	813,51

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

- D

Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.
- G

Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

- E

Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.
- H

Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

- F
- Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Color variations

- V0

Monochromatic - V0: tiles of the same shade are very uniform, in just one colour
- V3

Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

- V1

Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run
- V4

Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

- V2
- Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

Certifications

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	LEED Credits	QBUPEC
							
FDES	Declare	HPD	CE 001MRZI	CE 009MRZI	CE 010MRZ	UKCA 00 1MRZUK	UKCA 00 9MRZUK
							
UKCA 01 0MRZUK	SASO						

© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 07/09/2026

