

CONCRETE LOOK

Poster



MARAZZI



Poster

Like concrete softened by space, Plaza reinterprets industrial material in porcelain stoneware with gentle, shade-varied surfaces. The range includes White, Beige, Grey and Multicolor in 30x60, 60x60, 60x120, 100x100 and 30x90 sizes. The Range 3D structure, the Wallace décor and the mosaic complete the decorative offer. Puro Marazzi Antibacterial and StepWise expand its performance, comfort in use, reliability and versatility across indoor and outdoor settings.

MCSP Poster Ivory Rt 60x120cm
MADE Poster Decoro Zone Rt 60x120cm



MCSN Poster White Rt 60x120cm
MAD9 Poster Decoro Hawaii Rt 60x120cm



MCSQ Poster Anthracite Rt 60x120cm
MAD8 Poster Decoro Exotic Rt 60x120cm



MAD8 Poster Decoro Exotic Rt 60x120cm
MA9P Lume Off White Lux 6x24cm



MADE Poster Decoro Zone Rt 60x120cm



MCSF Poster Ivory Rt 60x120cm
MADE Poster Decoro Zone Rt 60x120cm

MCTS Poster Pottery Rt 30x120cm



MCSP Poster Ivory Rt 60x120cm
MAD8 Poster Decoro Exotic Rt 60x120cm



MCSU Poster Blue Rt 60x120cm
MAD9 Poster Decoro Hawaii Rt 60x120cm
MACN Poster Listello Aluminum 0x120cm



MCSQ Poster Anthracite Rt 60x120cm
MAD8 Poster Decoro Exotic Rt 60x120cm
MCSQ Poster Ivory Rt 60x120cm
MACR Poster Decoro Florida Rt 60x120cm
M9FP Grande Stone Look Limestone Sand Satin 12Mm Stuoiato 162x324cm



MCSQ Poster Anthracite Rt 60x120cm
MAD8 Poster Decoro Exotic Rt 60x120cm









Poster Index

MCSP Poster Ivory Rt 60x120cm
MADE Poster Decoro Zone Rt 60x120cm


Poster

- Porcelain Stoneware




Anthracite

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x120cm	Natural	MCSQ	Poster Anthracite Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				F	V2	2	1,44	27,82	36	51,84	1.001,55
30x120cm	Natural	MCSY	Poster Anthracite Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				F	V2	3	1,08	20,77	48	51,84	996,92




Blue

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x120cm	Natural	MCSU	Poster Blue Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				F	V2	2	1,44	27,14	36	51,84	977,01
30x120cm	Natural	MCSZ	Poster Blue Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				F	V2	3	1,08	19,72	48	51,84	946,33




Ivory

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x120cm	Natural	MCSP	Poster Ivory Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				H	V2	2	1,44	27,42	36	51,84	987,24
30x120cm	Natural	MCSX	Poster Ivory Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				H	V2	3	1,08	20,19	48	51,84	969,33



Pottery

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x120cm	Natural	MCST	Poster Pottery Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				F	V2	2	1,44	26,58	36	51,84	956,81
30x120cm	Natural	MCTS	Poster Pottery Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				F	V2	3	1,08	19,77	48	51,84	948,76



White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x120cm	Natural	MCSN	Poster White Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				H	V2	2	1,44	27,30	36	51,84	982,93
30x120cm	Natural	MCSW	Poster White Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1				H	V2	3	1,08	20,37	48	51,84	977,56

CONCRETE LOOK



Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x120cm	Natural	MACR	Poster Decoro Florida Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1			>= 0.42	G	V1	2	1,44	28,57	36	51,84	1.028,57
60x120cm	Natural	MAD8	Poster Decoro Exotic Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1			>= 0.42	G	V1	2	1,44	28,57	36	51,84	1.028,57
60x120cm	Natural	MAD9	Poster Decoro Hawaii Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1			>= 0.42	H	V1	2	1,44	28,57	36	51,84	1.028,57
60x120cm	Natural	MADE	Poster Decoro Zone Rt	MM 8,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Puro Marazzi Antibacterial	R9	> 0.40	Class 1			>= 0.42	G	V1	2	1,44	27,30	36	51,84	982,80

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 9001



HPD



EPD Italy



CCC



EPD Spain



CE 001MRZI



Greenguard
Certification



UKCA
001MRZUK



LEED Credits



SASO



Declare

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI