

WOOD LOOK

Oltre



MARAZZI



Oltre

Like a rare oak taking shape in light, Oltre brings a refined and authentic wood look to porcelain stoneware. The range includes White, Sand, Caramel and Natural in 30x120, 20x120, 11x54 and 22.5x180 sizes, for indoor and outdoor spaces. Puro Marazzi Antibacterial, StepWise, Tecnico, Sublime Sync and Zero Glossy combine protection, grip, technical precision and an extra-matt surface with very low reflection, for a richer, more evolved visual and tactile result.

MP86 Flora Decoro Lawn Touch Rt 30x90cm
MP81 Flora Bianco Rt 30x90cm
MP80 Flora Rosa Rt 30x90cm
M9EC Oltre Caramel Rt 20x120cm



M9DM Oltre Natural Rt 22x180cm
M5P3 Zellige Salvia Lux 10x10cm



MA8U Oltre Caramel Chevron 11x54cm



MA8R Oltre White Chevron 11x54cm
M9YY Cementum20 Nickel Rt 60x120cm



MA9P Lume Off White Lux 6x24cm
MA8S Oltre Natural Chevron 11x54cm





MA8U Oltre Caramel Chevron 11x54cm
M9SM Cementum Nickel Rt 60x120cm



M9DM Oltre Natural Rt 22x180cm



M9DN Oltre Sand Rt 22x180cm



M9DM Oltre Natural Rt 22x180cm
M96U Rice Natural Decoro Leaf Lux 5x15cm
MOZ3 Grande Concrete Look White Natural Rt 6Mm 160x320cm





M9F8 Oltre White Rt 30x120cm
M96T Rice Bianco Decoro Leaf Lux 5x15cm
M96N Rice Bianco Lux 5x15cm



M9F9 Oltre Sand Rt 30x120cm



M9FA Oltre Natural Rt 30x120cm
M99Q Mystone Travertino Classico Rt 90x180cm



M9DM Oltre Natural Rt 22x180cm
M99S Mystone Travertino Silver Rt 90x180cm







M9DP Oltre Caramel Rt 22x180cm



M9EA Oltre Natural Rt 20x120cm







Oltre Index

MP86 Flora Decoro Lawn Touch Rt 30x90cm
MP81 Flora Bianco Rt 30x90cm
MP80 Flora Rosa Rt 30x90cm
M9EC Oltre Caramel Rt 20x120cm


Oltre

- Colorbody Fine Porcelain Stoneware · Porcelain Stoneware




Caramel

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M9DP	Oltre Caramel Rt	MM 10	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	4	1,62	35,35	36	58,32	1.272,53
20x120cm	Natural	M9EC	Oltre Caramel Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	4	0,96	18,93	40	38,40	757,25
20x120cm	Grip	M9EH	Oltre Caramel Grip Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	G	V2	4	0,96	19,91	40	38,40	796,35
30x120cm	Natural	M9FC	Oltre Caramel Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	3	1,08	22,67	48	51,84	1.088,39
30x120cm	Grip	M9FH	Oltre Caramel Grip Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3	1,08	21,55	48	51,84	1.034,52
11x54cm	Natural	MA8U	Oltre Caramel Chevron	MM 09	·	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	18	0,94	17,70	45	42,44	796,62




Natural

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M9DM	Oltre Natural Rt	MM 10	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	4	1,62	33,27	36	58,32	1.197,78
20x120cm	Natural	M9EA	Oltre Natural Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	4	0,96	18,89	40	38,40	755,61
20x120cm	Grip	M9EG	Oltre Natural Grip Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	4	0,96	20,56	40	38,40	822,27
30x120cm	Natural	M9FA	Oltre Natural Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V2	3	1,08	21,97	48	51,84	1.054,52
30x120cm	Grip	M9FG	Oltre Natural Grip Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V2	3	1,08	23,43	48	51,84	1.124,76
11x54cm	Natural	MA8S	Oltre Natural Chevron	MM 09	·	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	18	0,94	17,29	45	42,44	778,08



Sand

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M9DN	Oltre Sand Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96 P3	>= 0.42	H	V2	4	1,62	33,17	36	58,32	1.194,10	
20x120cm	Natural	M9E9	Oltre Sand Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96 P3	>= 0.42	H	V2	4	0,96	19,17	40	38,40	766,77	
20x120cm	Grip	M9EF	Oltre Sand Grip Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96 P4	>= 0.42	G	V2	4	0,96	18,86	40	38,40	754,57	
30x120cm	Natural	M9F9	Oltre Sand Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96 P3	>= 0.42	H	V2	3	1,08	21,92	48	51,84	1.052,16	
30x120cm	Grip	M9FF	Oltre Sand Grip Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96 P4	>= 0.42	G	V2	3	1,08	22,02	48	51,84	1.056,88	
11x54cm	Natural	MA8T	Oltre Sand Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R10B	> 0.40	Class 2	36+ Slider 96	>= 0.42	G	V2	18	0,94	17,72	45	42,44	797,22	



White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M9DL	Oltre White Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96 P3	>= 0.42	G	V2	4	1,62	35,11	36	58,32	1.263,98	
20x120cm	Natural	M9E8	Oltre White Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96 P3	>= 0.42	G	V2	4	0,96	19,73	40	38,40	789,31	
20x120cm	Grip	M9EE	Oltre White Grip Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96 P4	>= 0.42	G	V2	4	0,96	20,24	40	38,40	809,44	
30x120cm	Natural	M9F8	Oltre White Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R10B	> 0.40	Class 2	36+ Slider 96 P3	>= 0.42	G	V2	3	1,08	22,28	48	51,84	1.069,31	
30x120cm	Grip	M9FE	Oltre White Grip Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance, Puro Marazzi Antibacterial, StepWise, Sublime Sync, Zero Glossy	R11C	> 0.40	Class 3	36+ Slider 96 P4	>= 0.42	G	V2	3	1,08	22,38	48	51,84	1.074,40	
11x54cm	Natural	MA8R	Oltre White Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R10B	> 0.40	Class 2	36+ Slider 96	>= 0.42	G	V2	18	0,94	17,79	45	42,44	800,38	

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Recycled Material



Greenguard Certification



LEED Credits



QBUPEC D+



FDES



Declare



HPD



CAM Sassuolo



CAM Finale Emilia



CCC



CAM Fiorano



CE 001MRZI



CE 009MRZI



UKCA 001MRZUK



UKCA 009MRZUK



SASO

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI