

WALL COVERINGS

Terramix




MARAZZI




Terramix



Terramix interprets the small format with a brick look of essential, Nordic taste, bringing rhythm and measure to interior spaces. The stoneware collection comes in the 7x28 size and in the Bianco, Nero, Beige, and Marrone colors. A decor completes the range and broadens its compositional possibilities, between dynamic surfaces and graphic accents. Suitable for interiors, on floors and walls, it fits with versatility into residential and commercial projects.























Terramix Index

MMKY Terramix Beige 7x28cm
MMJG Treverktrend Rovere Scuro Rt 19x150cm
MMJ3 Treverktrend Rovere Scuro Rt 37x150cm

Terramix

- Porcelain Stoneware




Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
7x28cm	Natural	MMKY	Terramix Beige	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V4	50	0,98	18,28	52	50,96	950,75



Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
7x28cm	Natural	MMKV	Terramix Bianco	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V4	50	0,98	18,46	52	50,96	959,88



Marrone

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
7x28cm	Natural	MMKX	Terramix Marrone	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V4	50	0,98	18,31	52	50,96	951,99



Nero

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
7x28cm	Natural	MMKW	Terramix Nero	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V4	50	0,98	18,57	52	50,96	965,70



Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
7x28cm	Natural	MMRF	Terramix Dec Nero	MM 09	·	Frost proof, Resistance deep abrasion	Floor & Wall		R10	> 0.40	Class 2			>= 0.42	G	V4	6	0,12	1,95	100	11,76	194,99
7x28cm	Natural	MMRG	Terramix Dec Marrone	MM 09	·	Frost proof, Resistance deep abrasion	Floor & Wall		R10	> 0.40	Class 2			>= 0.42	G	V4	6	0,12	1,95	100	11,76	194,99

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



EPD Italy



HPD



UKCA
009MRZUK



ISO 50001



ISO 17889-1



CAM Fiorano



SASO



ISO 45001



Greenguard
Certification



CCC



ISO 9001



LEED Credits



CE 001MRZI



Green Building
Council



FDES



CE 009MRZI



GPP



Declare



UKCA
001MRZUK

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI