

MARBLE LOOK

# Frammento



MARAZZI



# Frammento

Frammento reinterprets Venetian terrazzo in porcelain stoneware with a contemporary language and a lively material. The range comes in the 60x60, 60x120 and 120x120 sizes and in Macro Cotto, Macro Azzurro, Macro Verde, Micro Cotto, Micro Azzurro and Micro Verde. The presence of Macro and Micro chips defines dynamic, calibrated surfaces, designed for residential and commercial settings with a fresh, current and refined character and bold visual rhythm today.





MNOW Frammento Micro Cotto R10 Rt 60x120cm



MMYR Frammento Macro Cotto R10 Rt 120x120cm  
MGFS Grande Marble Look Patagonia Lux Rt 6Mm 160x320cm





MMZY Frammento Macro Azzurro R10 Rt 120x120cm



MNOX Frammento Micro Azzurro R10 Rt 60x120cm  
MFLS Luz Azzurro Polvere Lux 5x30cm






# Frammento Index

MN13 Frammento Macro Azzurro R10 Rt 60x120cm  
MFLS Luz Azzurro Polvere Lux 5x30cm

# Frammento

- Colorbody Fine Porcelain Stoneware



## Macro Azzurro

| Formato   | Superfici | Codice | Descrizione                    | Spessore | Rett. | Caratteristiche tecniche              | Utilizzo     | Premium Tech | R           | BCR     | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V    | Pezzi per scatola | Mq | Kg    | Scatole per pallet | Mq | Kg |
|-----------|-----------|--------|--------------------------------|----------|-------|---------------------------------------|--------------|--------------|-------------|---------|----------------|---------------|---------------------|------|--------------------|------|-------------------|----|-------|--------------------|----|----|
| 120x120cm | Natural   | MMZY   | Frammento Macro Azzurro R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 1                  | 1,44 | 30,21             | 36 | 51,84 | 1.087,48           |    |    |
| 60x120cm  | Natural   | MN13   | Frammento Macro Azzurro R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 2                  | 1,44 | 29,81             | 36 | 51,84 | 1.073,29           |    |    |
| 60x60cm   | Natural   | MN1L   | Frammento Macro Azzurro R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 3                  | 1,08 | 21,51             | 40 | 43,20 | 860,22             |    |    |



## Macro Cotto

| Formato   | Superfici | Codice | Descrizione                  | Spessore | Rett. | Caratteristiche tecniche              | Utilizzo     | Premium Tech | R           | BCR     | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V    | Pezzi per scatola | Mq | Kg    | Scatole per pallet | Mq | Kg |
|-----------|-----------|--------|------------------------------|----------|-------|---------------------------------------|--------------|--------------|-------------|---------|----------------|---------------|---------------------|------|--------------------|------|-------------------|----|-------|--------------------|----|----|
| 120x120cm | Natural   | MMYR   | Frammento Macro Cotto R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 1                  | 1,44 | 30,39             | 36 | 51,84 | 1.093,90           |    |    |
| 60x120cm  | Natural   | MN11   | Frammento Macro Cotto R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 2                  | 1,44 | 29,09             | 36 | 51,84 | 1.047,06           |    |    |
| 60x60cm   | Natural   | MN1E   | Frammento Macro Cotto R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 3                  | 1,08 | 21,59             | 40 | 43,20 | 863,48             |    |    |




## Macro Verde

| Formato   | Superfici | Codice | Descrizione                  | Spessore | Rett. | Caratteristiche tecniche              | Utilizzo     | Premium Tech | R           | BCR     | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V    | Pezzi per scatola | Mq | Kg    | Scatole per pallet | Mq | Kg |
|-----------|-----------|--------|------------------------------|----------|-------|---------------------------------------|--------------|--------------|-------------|---------|----------------|---------------|---------------------|------|--------------------|------|-------------------|----|-------|--------------------|----|----|
| 120x120cm | Natural   | MMZW   | Frammento Macro Verde R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 1                  | 1,44 | 31,56             | 36 | 51,84 | 1.136,09           |    |    |
| 60x120cm  | Natural   | MN14   | Frammento Macro Verde R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 2                  | 1,44 | 29,41             | 36 | 51,84 | 1.058,61           |    |    |
| 60x60cm   | Natural   | MN1G   | Frammento Macro Verde R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 3                  | 1,08 | 22,13             | 40 | 43,20 | 885,06             |    |    |



## Micro Azzurro

| Formato   | Superfici | Codice | Descrizione                    | Spessore | Rett. | Caratteristiche tecniche              | Utilizzo     | Premium Tech | R           | BCR     | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V    | Pezzi per scatola | Mq | Kg    | Scatole per pallet | Mq | Kg |
|-----------|-----------|--------|--------------------------------|----------|-------|---------------------------------------|--------------|--------------|-------------|---------|----------------|---------------|---------------------|------|--------------------|------|-------------------|----|-------|--------------------|----|----|
| 120x120cm | Natural   | MN07   | Frammento Micro Azzurro R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 1                  | 1,44 | 31,56             | 36 | 51,84 | 1.136,09           |    |    |
| 60x120cm  | Natural   | MN0X   | Frammento Micro Azzurro R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 2                  | 1,44 | 29,44             | 36 | 51,84 | 1.059,91           |    |    |
| 60x60cm   | Natural   | MN1M   | Frammento Micro Azzurro R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B > 0.40 | Class 2 | 36+ Slider 96  | >= 0.42       | H                   | V1   | 3                  | 1,08 | 21,44             | 40 | 43,20 | 857,65             |    |    |



## Micro Cotto

| Formato   | Superfici | Codice | Descrizione                  | Spessore | Rett. | Caratteristiche tecniche              | Utilizzo     | Premium Tech | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Destinazioni d'uso | V  | Pezzi per scatola | Mq   | Kg    | Scatole per pallet | Mq    | Kg       |
|-----------|-----------|--------|------------------------------|----------|-------|---------------------------------------|--------------|--------------|------|--------|----------------|---------------|---------------------|---------|--------------------|----|-------------------|------|-------|--------------------|-------|----------|
| 120x120cm | Natural   | MN03   | Frammento Micro Cotto R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B | > 0.40 | Class 2        | 36+ Slider 96 |                     | >= 0.42 | H                  | V1 | 1                 | 1,44 | 30,12 | 36                 | 51,84 | 1.084,29 |
| 60x120cm  | Natural   | MNOW   | Frammento Micro Cotto R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B | > 0.40 | Class 2        | 36+ Slider 96 |                     | >= 0.42 | H                  | V1 | 2                 | 1,44 | 29,42 | 36                 | 51,84 | 1.059,26 |
| 60x60cm   | Natural   | MN20   | Frammento Micro Cotto R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B | > 0.40 | Class 2        | 36+ Slider 96 |                     | >= 0.42 | H                  | V1 | 3                 | 1,08 | 21,59 | 40                 | 43,20 | 863,48   |



## Micro Verde

| Formato   | Superfici | Codice | Descrizione                  | Spessore | Rett. | Caratteristiche tecniche              | Utilizzo     | Premium Tech | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Destinazioni d'uso | V  | Pezzi per scatola | Mq   | Kg    | Scatole per pallet | Mq    | Kg       |
|-----------|-----------|--------|------------------------------|----------|-------|---------------------------------------|--------------|--------------|------|--------|----------------|---------------|---------------------|---------|--------------------|----|-------------------|------|-------|--------------------|-------|----------|
| 120x120cm | Natural   | MN01   | Frammento Micro Verde R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B | > 0.40 | Class 2        | 36+ Slider 96 |                     | >= 0.42 | H                  | V1 | 1                 | 1,44 | 30,39 | 36                 | 51,84 | 1.094,13 |
| 60x120cm  | Natural   | MNOK   | Frammento Micro Verde R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B | > 0.40 | Class 2        | 36+ Slider 96 |                     | >= 0.42 | H                  | V1 | 2                 | 1,44 | 29,62 | 36                 | 51,84 | 1.066,23 |
| 60x60cm   | Natural   | MN1Q   | Frammento Micro Verde R10 Rt | MM 09    | .     | Frost proof, Resistance deep abrasion | Floor & Wall |              | R10B | > 0.40 | Class 2        | 36+ Slider 96 |                     | >= 0.42 | H                  | V1 | 3                 | 1,08 | 22,13 | 40                 | 43,20 | 885,25   |

# Legenda

## Destinazioni d'uso

**D**  
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

**G**  
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

## Variazioni cromatiche

**V0**  
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**V3**  
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

# Certificazioni



ISO 14001



EPD Italy



FDES



CAM Fiorano



ISO 50001



ISO 17889-1



Declare



CE 001MRZI



ISO 45001



Greenguard Certification



HPD



CE 009MRZI



ISO 9001



LEED Credits



CAM Sassuolo



UKCA 001MRZUK



Green Building Council



QBUPEC



CAM Casiglie



UKCA 009MRZUK



GPP



QBUPEC D+



CCC



SASO

© Copyright by Marazzi Group S.r.l., 2023.  
All rights reserved, Marazzi Group Srl a Socio Unico  
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



**MARAZZI**