

MARBLE LOOK

Pinch



MARAZZI



Pinch

Like a surface that captures light and memory, Pinch reinterprets in porcelain stoneware the details, chromatic richness and graphic movement of Venetian terrazzo. The range includes White, Black, Beige, Dark Grey and Light Grey in 60x60, 60x120 and 120x120 sizes. The graphic richness of the terrazzo pattern meets precise material definition, bringing rhythm, visual depth and character to contemporary interiors with a distinctive, refined, expressive presence.













Pinch Index


Pinch

- Colorbody Fine Porcelain Stoneware



Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	M8DA	Pinch Beige Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	M8DS	Pinch Beige Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	2	1,44	30,67	36	51,84	1.104,15
60x60cm	Natural	M8E7	Pinch Beige Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	3	1,08	22,32	40	43,20	892,75




Black

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	M8DE	Pinch Black Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	1	1,44	32,41	36	51,84	1.166,78
60x120cm	Natural	M8DV	Pinch Black Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	2	1,44	29,84	36	51,84	1.074,40
60x60cm	Natural	M8EA	Pinch Black Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	3	1,08	21,87	40	43,20	874,67




Dark Grey

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	M8DD	Pinch Dark Grey Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	M8DU	Pinch Dark Grey Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	2	1,44	31,38	36	51,84	1.129,66
60x60cm	Natural	M8E9	Pinch Dark Grey Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	3	1,08	22,67	40	43,20	906,61



Light Grey

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	M8DC	Pinch Light Grey Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	M8DT	Pinch Light Grey Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	2	1,44	30,56	36	51,84	1.100,17
60x60cm	Natural	M8E8	Pinch Light Grey Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	3	1,08	22,77	40	43,20	910,62



White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	M8D9	Pinch White Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	1	1,44	32,41	36	51,84	1.166,78
60x120cm	Natural	M8DR	Pinch White Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	2	1,44	30,58	36	51,84	1.100,87
60x60cm	Natural	M8E6	Pinch White Rt	MM 9,5	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V1	3	1,08	23,00	40	43,20	920,13

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Recycled Material



Greenguard Certification



LEED Credits



QBUPEC



QBUPEC D+



FDES



Declare



HPD



CAM Sassuolo



CAM Casiglie



CAM Fiorano



CCC



CE 001MRZI



CE 009MRZI



UKCA 001MRZUK



UKCA 009MRZUK



SASO

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI