

CONCRETE LOOK

Cotti D'Italia



MARAZZI




Cotti D'Italia

Inspired by the warmth of Italian terracotta, Cotti d'Italia reinterprets in porcelain stoneware the appeal of a classic ceramic material. The range comes in the 15x15, 15x30, 30x30 and 60x60 sizes and in Beige, Marrone, Rosato and Terracotta. Designed for interiors and outdoor spaces, it shapes floors and surfaces in residential and commercial settings with a contemporary, natural and tactile language that conveys warmth and clear visual continuity throughout.

M069 Cotti D'italia Beige L 15x30cm
M035 Bricco Bianco 7x28cm
M005 Treverkfusion Neutral 10x70cm




MMY3 Cotti D'italia Terracotta 30x30cm



MMWU Powder Sand Rt 75x150cm
M02A Cotti D'italia Rosato 60x60cm



MMY7 Cotti D'italia Terracotta 15x30cm




M02A Cotti D'italia Rosato 60x60cm






MMYA Cotti D'italia Marrone 15x15cm
MMY6 Cotti D'italia Marrone 15x30cm



MMY7 Cotti D'italia Terracotta 15x30cm



MMY7 Cotti D'italia Terracotta 15x30cm
MMY6 Cotti D'italia Marrone 15x30cm



M02C Cotti D'italia Marrone 60x60cm







Cotti D'Italia Index

M069 Cotti D'italia Beige L 15x30cm
M035 Bricco Bianco 7x28cm
M005 Treverkfusion Neutral 10x70cm


Cotti D'Italia

- Porcelain Stoneware



Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x60cm	Natural	M029	Cotti D'Italia Bg	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	3	1,08	21,99	40	43,20	879,48
30x30cm	Natural	MMY0	Cotti D'Italia Beige	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	14	1,26	22,01	40	50,40	880,35
15x30cm	Natural	MMY4	Cotti D'Italia Beige	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	20	0,90	15,22	64	57,60	974,12
15x15cm	Natural	MMY8	Cotti D'Italia Beige	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	40	0,90	17,01	64	57,60	1.088,85
15x30cm	Structured Surface	MMYD	Cotti D'Italia Beige Strutturato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	20	0,90	15,26	64	57,60	976,60




Marrone

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x60cm	Natural	M02C	Cotti D'Italia Marrone	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	3	1,08	22,44	40	43,20	897,76
30x30cm	Natural	MMY2	Cotti D'Italia Marrone	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	14	1,26	22,27	40	50,40	890,62
15x30cm	Natural	MMY6	Cotti D'Italia Marrone	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	20	0,90	15,40	64	57,60	985,29
15x15cm	Natural	MMYA	Cotti D'Italia Marrone	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	40	0,90	15,27	64	57,60	977,60
15x30cm	Structured Surface	MMYF	Cotti D'Italia Marrone Strutturato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	20	0,90	16,67	64	57,60	1.066,67



Rosato

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x60cm	Natural	M02A	Cotti D'Italia Rosato	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	3	1,08	22,12	40	43,20	884,88
30x30cm	Natural	MMY1	Cotti D'Italia Rosato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	14	1,26	22,18	40	50,40	887,32
15x30cm	Natural	MMY5	Cotti D'Italia Rosato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	20	0,90	16,76	64	57,60	1.072,43
15x15cm	Natural	MMY9	Cotti D'Italia Rosato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	40	0,90	16,83	64	57,60	1.077,24
15x30cm	Structured Surface	MMYE	Cotti D'Italia Rosato Strutturato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	20	0,90	15,42	64	57,60	986,64



Terracotta

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Natural	MMY3	Cotti D'italia Terracotta	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	14	1,26	22,09	40	50,40	883,59
15x30cm	Natural	MMY7	Cotti D'italia Terracotta	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	20	0,90	15,42	64	57,60	986,98
15x15cm	Natural	MMYC	Cotti D'italia Terracotta	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	40	0,90	15,32	64	57,60	980,59
15x30cm	Structured Surface	MMYG	Cotti D'italia Terracotta Strutturato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall		R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	20	0,90	15,11	64	57,60	966,93

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



EPD Italy



HPD



UKCA
001MRZUK



ISO 50001



ISO 17889-1



CAM Sassuolo



UKCA
010MRZUK



ISO 45001



Greenguard
Certification



CCC



SASO



ISO 9001



LEED Credits



CAM Fiorano



Green Building
Council



FDES



CE 001MRZI



GPP



Declare



CE 010MRZ

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI