

STONE LOOK

# Mystone Lavagna




MARAZZI



# Mystone Lavagna

The natural strength of stone takes shape in Mystone Lavagna through an essential, elegant and deeply textured language. The stone-look porcelain stoneware collection is available in Bianco and Nero, in sizes 60x60, 30x60, 75x75 and 75x150. The Modulo mosaic and the 3D mosaic expand the expressive possibilities of the range. Also suitable for outdoor spaces, it is ideal for floors and walls in high-resistance residential and commercial architectural settings.

M8GE Hello Diamantato Lux White 7x15cm  
M4VX Lavagna Bianco Rt 60x60cm  
M03J Lavagna Rt N/A 60x60cm





MQV8 750X1.5 Lavagna Bianco Rt 75x150cm




MQV8 750X1.5 Lavagna Bianco Rt 75x150cm






M1F9 Lavagna Bianco Rt 75x75cm




M03J Lavagna Rt N/A 60x60cm







M4VY Lavagna Bianco Rt 30x60cm  
M4VX Lavagna Bianco Rt 60x60cm




**MODR** Lavagna Gradino 30x60cm  
**M05C** Lavagna Rt 30x60cm



**M03V** Lavagna Rt 75x150cm



MOAE Lavagna Mosaico 30x30cm



MOAE Lavagna Mosaico 30x30cm  
MO3V Lavagna Rt 75x150cm







**M0AE** Lavagna Mosaico 30x30cm  
**M03V** Lavagna Rt 75x150cm



M0AE Lavagna Mosaico 30x30cm  
M03V Lavagna Rt 75x150cm




# Mystone Lavagna Index

M8GE Hello Diamantato Lux White 7x15cm  
M4VX Lavagna Bianco Rt 60x60cm  
M03J Lavagna Rt N/A 60x60cm


# Mystone Lavagna

- Colorbody Fine Porcelain Stoneware



## Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
75x150cm	Natural	MQV8	750x15 Lavagna Bianco Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	2	2,25	44,93	21	47,25	943,49	
30x60cm	Natural	M4VY	Lavagna Bianco Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	5	0,90	18,12	48	43,20	869,74	
30x60cm	Structured Surface	M4VZ	Lavagna Bianco Strutturato Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10B	> 0.40			>= 0.42	H	V1	5	0,90	19,06	48	43,20	915,06	
60x60cm	Natural	M4VX	Lavagna Bianco Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	3	1,08	22,30	40	43,20	892,19	
60x60cm	Structured Surface	M1F8	Lavagna Bianco Strutturato Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10B	> 0.40			>= 0.42	H	V1	3	1,08	21,92	40	43,20	876,80	
75x75cm	Natural	M1F9	Lavagna Bianco Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	2	1,13	22,22	42	47,25	933,24	




## Nero

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
60x60cm	Natural	M03J	Lavagna Rt N/a	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	3	1,08	21,85	40	43,20	873,96	
60x60cm	Structured Surface	M03K	Lavagna Str	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11B	> 0.40	Class 3	36+ Slider 96	>= 0.42	H	V1	3	1,08	21,56	40	43,20	862,28	
75x150cm	Natural	M03V	Lavagna Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	2	2,25	44,96	21	47,25	944,24	
75x75cm	Natural	M03W	Lavagna Rt	MM 9,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	2	1,13	22,15	42	47,25	930,30	
30x60cm	Natural	M05C	Lavagna Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V1	5	0,90	17,86	48	43,20	857,31	
30x60cm	Structured Surface	M05D	Lavagna Str Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11B	> 0.40	Class 3	36+ Slider 96	>= 0.42	H	V1	5	0,90	17,94	48	43,20	860,90	



## Mosaic 3D Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Natural	MD1H	Lavagna Bianco Mosaico 3d	MM 10	.	Frost proof, Resistance deep abrasion	Wall								V1	4	0,36	10,00	60	21,60	600,00	



## Mosaico Modulo Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x60cm	Natural	MD1J	Lavagna Mosaico Bianco	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall								V1	4	0,72	19,00	27	19,44	512,99	



## Mosaic 3D Nero

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Natural	MOAE	Lavagna Mosaico	MM 10	.	Frost proof, Resistance deep abrasion	Wall									V1	4	0,36	7,60	60	21,60	456,00



## Mosaico Modulo Nero

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x60cm	Natural	MOAF	Lavagna Mosaico	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall									V1	4	0,72	18,70	27	19,44	504,91

# Legenda

## Destinazioni d'uso

**D**  
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

**G**  
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

## Variazioni cromatiche

**V0**  
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**V3**  
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

# Certificazioni



ISO 14001



EPD Italy



FDES



CE 001MRZI



ISO 50001



ISO 17889-1



Declare



CE 009MRZI



ISO 45001



Greenguard Certification



HPD



UKCA 001MRZUK



ISO 9001



LEED Credits



CAM Sassuolo



UKCA 009MRZUK



Green Building Council



QBUPEC



CCC



SASO



GPP



QBUPEC D+



CAM Fiorano

© Copyright by Marazzi Group S.r.l.  
All rights reserved, Marazzi Group Srl a Socio Unico  
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



**MARAZZI**